Knowledge Base

Search the Knowledge Base

Select a Product: Corel Graphics Suite 10

Search for Text:

Search Results:

1 **Unable to Adjust Line Spacing Values in the Format Text Dialog Box**
When trying to adjust the line spacing of text in the Format Text dialog box, the values remain unchanged. Manually typing in a new value or clicking on the Up or down arrows have no effect. The new value always

2 **Unable to Apply More Than One Decimal Place when Specifying Outline Widths**
When specifying line widths in the Outline Pen Dialog window (and on the Outline Tab in the Properties Docker window), values of two or more decimal places will be rounded off.

3 **Some of the Full Color Pattern Fills do not Display Correctly.**
In the Pattern Fill dialog window, some of the fills do not preview correctly, and when applied do not fill as they did in previous versions or CorelDRAW.

4 **Where is the Special Fill Docker**
Unable to locate the Special fill docker window. Unable to apply an existing fill to a new object.

5 **Cloned Text Does Not Update Correctly**
After creating cloned text, any attribute changes made to the control text will be updated in the clone(s). However, modifying the content of the control text, does not update its clone(s).

6 **Using the Preset Fill Icons for Percentages of Black results in C.A.R.M.**
Adding the custom toolbars for percentage of black fills will cause the Corel Application Recovery Manager (C.A.R.M.)to appear.

7 **Unable to Add a Space Between Characters when Typing**
While adding a space to text, the text tool switches to the pick tool. The user may also experience a 'beep' when the space bar is used while typing text.

8 **Uninstalling CorelDRAWr 10 from Windowsr 95**
Before manually uninstalling any application from Windowsr 95, it is strongly recommended to back up the SYSTEM.DAT and USER.DAT files. In addition you should make backups of the WIN.INI and SYSTEM.INI files to a

9 **Installation Instructions and FAQs**

Before proceeding, ensure that the computer meets all hardware requirements and is running Windowsr98, WindowsrME, Windows NTr4.0 or Windowsr2000. CorelDRAW 10 is not designed for, and will not run on, earlier versions

10 **Default Installation Files**
The following list displays all the components available for installation with CorelDRAWr 10 Graphics Suite. An asterisk (*) indicates that the component is part of the Typical installation option. All other items

11 **AttuneT FAQs**

12 **Installing True Type Fonts**
The True Type font engine is an integral component of Windowsr 98/2000. Therefore, a third-party font manager is not required to use True Type fonts in any application running in Windows 98/2000 environments. True

13 **Using Multilingual Fonts**
The CorelDRAWr 10 setup only contains a default set of fonts. Extra fonts are provided on the CD. Both True Type and Type 1 are provided on CD#1 in the Fonts folder and on CD#2 in the Extra Fonts folder.

14 **Creating Transparent Bitmaps**

15 **File Backup Options**
There are two methods for creating backup files in CorelDRAWr 10. Both options, Make Backup on Save and Auto backup may be accessed by clicking Tools, Options, Work Space, Save. These options can be invoked individually

16 **Changing Default Settings**

17 **Corel PHOTO-PAINTr 10 FAQs**
The following document contains answers to frequently asked questions about Corel PHOTO-PAINTr 10.

18 **Printing FAQs**
The following document contains frequently asked questions about printing and CorelDRAWr 10.i

19 **Accessing Clipart and Symbols**
There are over 25,000 clipart images and symbols in CorelDRAWr 10. Importing is the primary method of accessing the clipart in CorelDRAW products for use within a document. This tutorial will outline the steps required

20 **Assigning PANTONE MATCHING SYSTEMr Colors to Raster Images**
Raster images or bitmaps are generally CMYK or RGB. As a result, PMS (PANTONE MATCHING SYSTEMr) colors are unavailable when printing separations. There are two ways to assign PMS colors to a raster image using CorelDRAWr

1 through 20 of about 21 matches.
Page: [1] 2
next>>

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Knowledge Base

Search the Knowledge Base

Select a Product: Corel Graphics Suite 10

Search for Text:

GO

Search Results:

21 **Cannot Access Bitmap Effects when Logged in as a Member of the ''Users'' Group**
In Windows NT and Windows 2000, selecting options under the Image or Effects menu will not display the corresponding dialog boxes when logged in as a member of a group which does not have administrative priviledges.i

22 **Opening Multiple Files in Explorer Launches Multiple Instances of CorelDRAWr 10 / PHOTO-PAINTr 10**
The following document will provide the necessary instructions to enable only one instance of the programs CorelDRAW, Corel PHOTO-PAINT, or Corel R.A.V.E. to be opened when double clicking on files from Explorer.c

23 **Cannot Launch VBA in CorelDRAWr 10**
When the CorelDRAW 10 suite is installed with VBA on WinNT4/Windows 2000 as Administrator or on a multi-user Windows 9X/Windows ME platform, VBA will not be initialized for any other user except for the administrator

24 **Cannot Launch CorelDRAWr 10 (hourglass disappears)**
When launching CorelDRAW 10, the hourglass (mouse) appears for a few seconds then disappears.D

25 **Workspace not Maintaining Customization when CorelDRAWr 10 is Re-Launched**
Custom toolbars, buttons and custom palettes may not have been maintained after having closed and re-launched CorelDRAW 10.

26 **CorelDRAWr 10 Crashes when Opening/Closing Dockers**
CorelDRAW 10 Crashes in a .DRV module when Opening/Closing Dockers.I

27 **Memory Errors when Adding Bitmap Effects to Toolbars**
Customize Bitmap Effects by adding functions to the command bar may result in memory handle errors.

28 **Outline Properties not Being Maintained**
Changing outline values using the Outline Property box or through the Properties Docker are not being maintained. They revert to previous values.

29 **Undo Stops Functioning in CorelDRAWr 10.**
The undo function in CorelDRAW 10 no longer works (greyed out).Ì

30 **Error 1310 When Installing CorelDRAWr 10 on Windows NT**

When installing CorelDRAW 10 on Windows NT, multiple instances of "Error 1310" can occur.

31 **C.A.R.M. When Opening CDR Files in CorelDRAWr10**
When opening CDR files, the Corel Application Recovery Manager (CARM) may appear, stating that the application has become unstable.c

32 **Application Error When Closing CorelDRAWr 10 on Windows NT**
Approximatly 10-15 seconds after closing CorelDRAW10 an error appears stating CorelDrw.exe application Error The instance 0X77FCA66F reference memory at 0X03930690. The memory could not be written.

33 **Text will not Change In Child Clone When Parent is Changes in CoreDRAWr 10**
In CorelDRAW 10, the child clones do not change when the parent clone is modified. If the text is edited on-screen it will break the link between the two objects.T

34 **Barcodes Display on all Plates when Printing Separations**
When printing separations for a document that contains a barcode, the barcode will appear on all plates.

35 **Targa Bitmaps (TGA) Exports in Enhanced Mode Even Though Normal is Selected**
This issue relates to the targa bitmap export for CorelDRAW versions 8, 9 and 10. Files exported in normal mode are still saved in enhanced mode. Follow these steps to resolve the issue when saving files of this

36 **''Save As'' Dialog Box is Displayed in German**
When saving files for the first time, the text in the 'save as' dialog box is displayed in German.

37 **CorelDRAWr 10 Caused an Invalid Page Fault in Module cdrrip100.dll**
CorelDRAW 10 fails to launch and generates the following error: "CorelDRAW 10 has caused an Invalid Page Fault in module cdrrip100.dll

38 **Changing File Associations in Windows**
After the installation of a new application all the graphics files (ie. jpg, tif, gif, bmp) are associated with the new application.I

39 **Viewing in Wireframe or Editing a Barcode in CorelDRAW 10**
In CorelDRAW 10, a barcode is inserted as an OLE Object, which cannot be edited once created and will not display in wireframe view. To create a barcode that can be modified (ie. ungrouping the lines or changing

40 **Service Pack 1 will not Install if a Beta Version of SP1 was Previously Installed**
Applies to users with Draw 10.425 (beta SP1applied). When applying Service Pack 1, errors appear pertaining to certain files not being the right version and the installation aborts.r

21 through 40 of about 41 matches.
<<previous Page: 1 [2] 3 **next>>**

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Knowledge Base

Search the Knowledge Base

Select a Product: Corel Graphics Suite 10

Search for Text:

Search Results:

41 **Service Pack 1 will not Apply if Trial Version of CorelDRAW 10 was Previously Installed**
Service Pack 1 will not Apply if Trial Version of CorelDRAW 10 was Previously Installed.

42 **Treating Objects as Filled while in Wireframe View**
While working in Wireframe view, no items can be selected without verifying the pick tool is on the outline before selecting.w

43 **Unexpected Condition 5002 (1782 or 1670)**
After the installation of Service Pack One, the creation of a new document or the selecting of an object in an existing file results in an unexpected condition 5002.r

44 **Changing the View of an Object from Normal/Enhanced to Wireframe in CorelDRAWr 10**
When editing an image, there are times when an object needs to be placed in an exact position. However, if the object is filled, it may be difficult to accomplish this. There is a way to change the view of an object.

45 **Toolbar(s), Menubar(s) or Color Palettes are Missing**
The toolbar(s), menubar(s) or color palettes are missing when opening the program.s

46 **Creating Customer Registration Marks in CorelDRAWr 10**
When printing in DRAW 10, the default registration marks may not be the correct size or may not be in the correct format. There is the option to create custom registration marks that will appear on all color plates

47 **Kodak Color Management Errors when Launching CorelDRAWr 10**
The Kodak Color Management System could not be initialized. Color Management functions will be disabled. 2. A necessary profile could not be loaded. Please reinstall the application to repair this problem. 3. Texture

48 **Text Automatically Switches to English(US) when Typing Foreign Language Text in CorelDRAWr 10**
When a language other than English(US) is selected as default in thye Input Locale under the Windows Regional Options, CorelDRAW 10 automatically reverts back to English when clicking on the document after selecting

49 **Creating Transparencies in Animated GIFS with PhotoPAINT10**

Animated Gif files created in PhotoPAINT or RAVE can have transparent backgrounds. To do this, follow the procedure listed below.g

50 **Cannot Apply Bitmap Effects After Having Installed Service Pack 1**
After installing Service Pack One and trying to apply bitmap effects in CorelDRAW or PHOTO-PAINT 10, the following error occurs: "Crlfx100 cannot create effect component."

51 **''Setup Did not Complete'' Error Message when Attempting to Install CorelDRAWr 10**
When installing CorelDRAW 10, the following error may occur: "Setup did not complete, you must try again."n

52 **Changing Default Artistic Text in CorelDRAWr 10**
This document explains how to change the default Artistic text font for new CorelDRAW documents.

53 **Line not Found in Registry when Launching Corel Texture and/or Corel Texture Batcher**
When trying to launch the sub-applications Corel Texture and/or Corel Texture Batcher, an error appears stating "Line not Found in Registry" or "Goodies not Found", when logged in as a member of the "User" group

54 **Error When Attempting to Launch Corel Texture**
When attempting to launch Corel Texture user receives error - "Entries Missing in System Registry" or "Goodies not found"r

55 **Accessing Clipart Copied to the Network Through the Scrapbook**
Clipart images on a network location cannot be accessed through the initial screen of the scrapbook.:

56 **''No Writing Tools Installed'' Message when Running Spell Check**
After clicking the Text menu and selecting Writing Tools, an error may appear stating that 'No Writing Tools have been Installed'.o

57 **''Internal Error 2711, Bitstream Font Navigator'' when Installing CorelDRAWr 10**
Internal Error 2711' with reference to Bitstream Font Navigator. This usually occurs when one has had the trial version installed on the system.

58 **''Configdir not Found in Registry'' when Launching CorelDRAWr 10**
When launching CorelDRAW 10, an error appears stating "configdir not found in registry". This prevents CorelDRAW from launching.

59 **Converting Scripts from Previous Version for Use in CorelDRAWr 10**
Scripts created in previous versions of CorelDRAW will not run in CorelDRAW 10.g

60 **Location of Shared Folder is Greyed Out when Installing CorelDRAWr 10**
Location of shared folder is greyed out when installing CorelDRAW 10.L

41 through 60 of about 61 matches.
<<previous Page: 1 2 [3] 4 **next>>**

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Knowledge Base

Search the Knowledge Base

Select a Product: Corel Graphics Suite 10

Search for Text:

Search Results:

61 **Monotone Bitmap will not Print when Printing Separations**
After having converted a bitmap to Monotone, the image does not show up when printing separations.

62 **Cannot Install Corel Graphic Suite 10 on the OSX Partition of a Dual Boot System**
When installing Corel Graphic Suite 10 on an OSX partition of a dual boot system, various errors will appear.

63 **Corel Graphic Suite 10 Crashes on OS 9.2 or Below**
With virtual memory turned off, Corel Graphic Suite 10 on Mac OS 9.2 or lower keeps crashing.v

64 **Resetting the Defaults in Corel Graphic Suite 10**
Sometimes it is necessary to go back to the default workspace as a result of corruption. Missing menus, toolbars and custom settings may disappear and require that the application be reset to factory default.

65 **Dimension Tool Properties not Displaying Correctly**
When using the dimension tool in CorelDRAW 10, the property bar will only displays the X and Y parameters but omits the angle (degree) value.

66 **Cannot Launch CorelDRAWr 10 after Installing Service Pack 2**
This will prevent the launch of CorelDRAW 10, PHOTO-PAINT 10 and R.A. V.E. 1.0. This may occur as a result of Norton Utilities being resident in memory during the installation of service pack 2.

67 **Log File Cannot be Created During Setup**
After running the setup for CorelDRAW 10, the following error occurs: 'Log file cannot be created' The setup then aborts.e

68 **''Invalid Directory Specified in corelapp.ini'' when Launching CorelDRAWr 10/9 on Windows 2000**
Invalid directory specified in corelapp.ini' occurs when launching CorelDRAW 9 or 10 on Windows 2000. This occurs as a result of user permissions on NTFS formatted systems. Typically, this problem will occur when

69 **''Cannot Create Effect Component'' Message when Accessing Bitmap Effects in CorelDRAWr 10 / PHOTO-PAINTr 10**
Cannot Create Effect Component' when accessing bitmap effects after having installed CorelDRAW 10 Service Pack 1. This may occur as a result of having TSR's loaded into memory which had conflicted with the installation

70 **CorelDRAWr 10 Slows After Editing Text**
Performance of CorelDRAW 10 deteriorates as a result of working with text. Symptoms include the following: - Application menus do not respond immediately. - Various text editing problems. - Frequent system crashes

71 **Deploying CorelDRAWr 10 over a Network**
CorelDRAW 10 can be deployed over a network.n

72 **Lenses do not Print Correctly to Certain Non-Postscript Devices**
Applying a lens effect to an object in CorelDRAW 10 does not output correctly, even though it appears correctly in print preview.w

73 **Opening Adober Illustratorr Files which Contain Pantone Colors**
When opening Illustrator images that contain Pantone colors in CorelDRAW v. 9 or 10, the properties of the Pantone colors display as Pantone Matching System - Corel 8. The palette should display Pantone Matching

74 **CorelDRAWr 10 will not Launch when Logged in as a Member of the ''Users'' Group**
After CorelDRAW 10 has been installed on Windows 2000/XP, launching it while logged on as a member of the 'Users' group on NTFS formatted systems generates a grey box with a red "X" and an "OK" button.0

75 **CorelDRAWr 10 Creates Temp Files on the Root of the Drive which Contains the Windows Partition when Launched**
When launching CorelDRAW 10, temp files are created on the root of the drive which contains the Windows partition. This will result in an error if the user does not have write access to the root of this drive on

76 **''Server Busy'' When Trying to Edit Bitmap Within CorelDRAW**
When using the 'Edit Bitmap' feature within CorelDRAW 10, a "Server Busy" error is generated when Corel PHOTO-PAINT attempts to open.w

77 **How to Disable the Automatic Capitalization of Letters**
When typing artistic or paragraph text, the first letter of the first word on screen is automatically capitalized. Change the case defaults back to capital.

78 **Unable to Add Office Compatibility Entries to Registry**
When launching CorelDRAW, the error "Unable to add Office compatibility entries to registry" displays.f

79 **Unable to Preview Thumbnails on a Network Drive**
When browsing a network drive, CorelDRAW icons appear as balloons rather than thumbnail previews. Thumbnails display correctly when browsing locally.

80 **PDF Files Generated in CorelDRAWr 10 crash Adober Acrobatr when Viewing over the Internet**
When scrolling beyond the first page in PDF files generated in CorelDRAW 10 which have been uploaded to a web server, Adobe Acrobat hangs or crashes trying to display page information for any page beyond page two. I

61 through 80 of about 81 matches.
<<previous Page: 1 2 3 [4] 5 **next>>**

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Knowledge Base

Search the Knowledge Base

Select a Product: Corel Graphics Suite 10

Search for Text:

GO

Search Results:

81 **Inserting Symbols Into Artistic and Paragraph Text in CorelDRAW r**
The article describes a simplified method of inserting symbols into artistic and paragraph text.c

82 **Tiff Bitmap Images Display Inverted when Imported opened in Windows Imaging**
When opening a Tiff image that was exported from CorelDRAW 10 into Windows Imaging, the image appears inverted.u

83 **Unable to View JPG Files Exported From CorelDRAWr 10**
Microsoft Internet Explorer. The images will open and import back into CorelDRAW correctly.i

84 **How to Create a Pointed Star in CorelDRAWr**
When creating a star shape in CorelDRAWr, the ends display as squared. O

85 **Troubleshooting errors in coreldrw100.dll when creating or opening files in CorelDRAWr 10**
When creating or opening files in CorelDRAW 10r, an error may occur in module coreldrw100.dll, resulting in CorelDRAW being shut down.g

86 **Error in msjet35.dll When Launching CorelDRAWr 10**
When launching CorelDRAWr 10, an error can occur in module msjet35. dll, resulting in the closure of the application.P

87 **Changing Units of CMYK Values to Percentages**
CMYK values are displayed on a scale of 0 to 255, rather than in percentages.

88 **Dutone Bitmaps Disappear when Printing Separations**
When checking Print Separations on the Separations Tab in the Print dialog box, the duotone bitmap disappears from the preview window and fails to print.

89 **Copying/Pasting a Vector Object from Adober Illustratorr 10 Pastes as a Low Resolution Bitmap in CorelDRAWr**
When you copy a vector object from Adober Illustratorr 10 and paste it into CorelDRAWr, the object is pasted as a low resolution RGB bitmap.

90 **Extra Lines Appearing When Exporting as an Adobe Illustrator File (AI)**

When viewing an imported AI file, there are extra lines in the image. For example, export the letter "O" as an ai, then import it back into CorelDRAW, the "O" will display in Wireframe with a line through the top

91 **Internal Error 2336.5 C:/WINNT/Installer when Installing CorelDRAW r10**
The installation of CorelDRAWr 10 will get to 90% before an Internal Error 2336.5 X:/WINNT/Installer will occur. This may be caused by not having the appropriate permissions to the Installer folder located in the

92 **''Setup Did Not Complete'' When Installing CorelDRAWr 10**
"Setup Did Not Complete" message occurs when installing CorelDRAWr 10.O

93 **Transparent PNG Exports Incorrectly**
When exporting a bitmap as a PNG file with transparency, the transparent areas are rendered with a hard edge.a

94 **Cannot Export Bitmaps Larger Than 10000 x 10000 Pixels**
When exporting CorelDRAWr files as raster images, sizes beyond 10000 pixels cannot be selected.

95 **Cannot Initialize VBA in CorelDRAWr 10**
When trying to either run a script or to launch the editor, a message is displayed stating that VBA cannot initialize and to re-install.e

96 **Spot Colors Not Maintained When Copying Paragraph Text**
Paragraph text that contains a spot color fill will not maintain the spot color value if the text is copied to another Paragraph Text box. That is, the text that is copied will be assigned a CMYK value. The original

97 **Ticks/Divisions not Visible in Rulers**
When working with CorelDRAWr, rulers do not display ticks/divisions.B

98 **Error Saving CDR to CD Burner**
When saving a file directly to a CD Writer from CorelDRAWr, an error occurs stating that "You do not have permission to open this file".

99 **Unable to Adjust Line Spacing Values in the Format Text Dialog Box**
When trying to adjust the line spacing of text in the Format Text dialog box, the values remain unchanged. Manually typing in a new value or clicking on the Up or down arrows have no effect. The new value always

100 **Unable to Apply More Than One Decimal Place when Specifying Outline Widths**
When specifying line widths in the Outline Pen Dialog window (and on the Outline Tab in the Properties Docker window), values of two or more decimal places will be rounded off.n

81 through 100 of about 101 matches.
<<previous Page: 1 2 3 4 [5] 6 **next>>**

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Knowledge Base

Search the Knowledge Base

Select a Product: Corel Graphics Suite 10

Search for Text:

Search Results:

101 **Some of the Full Color Pattern Fills do not Display Correctly.**
In the Pattern Fill dialog window, some of the fills do not preview correctly, and when applied do not fill as they did in previous versions or CorelDRAW.n

102 **Cloned Text Does Not Update Correctly**
After creating cloned text, any attribute changes made to the control text will be updated in the clone(s). However, modifying the content of the control text, does not update its clone(s).C

103 **Using the Preset Fill Icons for Percentages of Black results in C.A.R.M.**
Adding the custom toolbars for percentage of black fills will cause the Corel Application Recovery Manager (C.A.R.M.)to appear.d

104 **Unable to Add a Space Between Characters when Typing**
While adding a space to text, the text tool switches to the pick tool. The user may also experience a 'beep' when the space bar is used while typing text.-

105 **Opening Multiple Files in Explorer Launches Multiple Instances of CorelDRAWr 10 / PHOTO-PAINTr 10**
The following document will provide the necessary instructions to enable only one instance of the programs CorelDRAW, Corel PHOTO-PAINT, or Corel R.A.V.E. to be opened when double clicking on files from Explorer.e

106 **unable to export as animated gif or avi**
After creating a movie in Rave, the export command only offers .swf.

107 **Cannot Launch CorelDRAWr 10 after Installing Service Pack 2**
This will prevent the launch of CorelDRAW 10, PHOTO-PAINT 10 and R.A.V.E. 1.0. This may occur as a result of Norton Utilities being resident in memory during the installation of service pack 2.l

108 **Configuring the BDE (version 4.0 and higher) to allow multi-user table access.**
Only one user at a time can access the Paradox data on the network

109 **Message: ''The ObjectPAL version used in this form is incompatible with this version of Paradox''**

Receiving message "The ObjectPAL version used in this form is incompatible with this version of Paradox. You must recompile from source." OR "This delivered form was compiled with an earlier version of Paradox. You

110 **Limits On Paradox Tables**
The table size limit in Paradox depends on the Block Size and Level specified in the BDE (for Paradox 7, 8, 9, 10, or 11) or IDAPI Configuration Utility (for Paradox 5). To view these settings, run the BDE/IDAPI

111 **Error - ''As Must Be Followed By The Name For The Field In The Answer Table''**
When running a query, the client receives the error "As must be followed by the name for the field in the answer table."e

112 **Importing Access 97 database with OLE objects into Paradox**
When importing an Access 97 table with OLE objects, Paradox sees them as Binary type fields rather than OLE Fields. The items contained in the OLE fields are Word97 Files.

113 **Moving an icon from one toolbar to another**
If you do not like having an icon on a certain toolbar, you can move it to a different one.

114 **Sending mail in Paradox 9,10,11**
When trying to send mail in Paradox 9,10,11 the code appears to be executing but the mail is not sent and there are no syntax errors. This happens even when using a fully MAPI compliant mail program.e

115 **Publishing reports to text through code**
Paradox 9. 10, and 11 allow you to publish reports to text format (open a report, click File, Publish As. and select text). In order to accomplish the same thing through ObjectPal code, you would use this code:

116 **Error - blob file not found or corrupt**
When opening a table, 'blob file not found or corrupt' appears. This indicates that there is a memo or graphic field in the table, and the mb file (where this information is stored) is either not in the same directory

117 **TableFrame grid does not print in Report**
When trying to print a tableframe in a report, the gridlines do not appear on the paper. This can also happen when trying to print a table.,

118 **Too Many Records on one Page of a Report**
When running a report the first record and elements of the second record are seen on the first page of the report. Then elements of the second and third records are on the second page.

119 **Error launching Paradox: Could not initialize BDE**
When Launching Paradox, you receive the error "could not initialize BDE". This error can occur after uninstalling older version of Paradox from the system. The uninstall routine may have removed the Borland files

120 **Answer table displays expression itself and not the result of the expression**
When using the CALC operator in a field of a QBE query, the answer table does not display the result of the expression, but the expression itself (Ex. Price*Qty).

101 through 120 of about 121 matches.
<<previous Page: 1 2 3 4 5 [6] 7 **next>>**

COREL
Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Knowledge Base

Search the Knowledge Base

Select a Product: Corel Graphics Suite 10

Search for Text:

GO

Search Results:

121 **Changing the Order of Fields when printing a table**
How can I change the Order of Fields when printing a table.p

122 **OverView of running a query method using ObjectPal - executeQBE( )**
OverView of running a query method using ObjectPal - executeQBE( )g

123 **Using variables in query statements in ObjectPal**
How to use variables in query statements in ObjectPal.x

124 **Passing a variable between forms without using a Library**
Passing a variable between forms without using a Library.o

125 **Paradox Reports print extra blank pages**
Reports print extra blank page in between each normaly printed page of the reporto

126 **Unable to start Experts: Error: Invalid Alias**
When attempting to launch any of the Paradox 10 experts, they either just flash or the error pops up: Invalid alias.

127 **ODBC Connectivity: Converting MS Access Tables to Paradox Tables**
When the contents of an Access table are needed in a Paradox format, follow the steps below

128 **vBox trial screen still present after installing the retail version of WordPerfectr Office 2002**
Users report that after unistalling the Trial version and installing the retail version, they receive a vBox splash screen indicating they have so many days left in the trial.w

129 **Disk error occurred while reading file**
Unable to open form created with Paradox 10 in Paradox 8. Error: Disk error occurred while reading filea

130 **Error - An attempt was made to access an unnamed file past its end**
Error starting Paradox 10: "An attempt was made to access an unnamed file past its end"

131 **Help File: ObjectPal Reference error in the Create topic under Table Type.**

Help reference: Notes: "If the VersionLevel parameter is not set the created table will default to version 4"

132 **Unexpected. General Protection Violation in Paradox 10**
Paradox is launched with a ONE line statusbar, moving the mouse over the Statusbar where the Start button on Taskbar is, causes a GPV. This also happens in Runtime 10.0.0.658m

133 **Importing Microsoft Excel 95/97**
Importing Microsoft Excel 95/97 specified range spread sheet. The import paradox table is off set by 1 column.c

134 **Incorrect Count in a calculated field**
Count function in a calculated field (form or report) is reporting the number of records in a table instead of the number of non-blank record entries in the specified field. Paradox is counting the number of records

135 **Upgrading Previous Versions of Paradox for Windows to Paradox 10**
The purpose of this document is to assist a Paradox for Windows user with the upgrade of all their files into Paradox 10.

136 **Setting Paradox 10 and 11 on peer-to-peer network.**
How to setup Paradox 10 and 11 in a Windows peer-to-peer network.;

137 **Index is out of date**
Index out Date is an error that occurs while using Paradox tables when the data in a table and a corresponding index is not consistent. Short of malicious behavior such as renaming an index, adding some data to the

138 **Creating Autoincrement Routines Using ObjectPal**
This document demonstrates three approaches using ObjectPAL to create autoincrement fields.

139 **Paradox field naming conventions**
Choosing a field name is a very important factor in table design. You should conform to the following rules when specifying field names for Paradox tables.s

140 **ImportSpreadsheet function, importing Excel Spreadsheet returns a message: Unable to get table field descriptions**
Using the following syntax importSpreadsheet (const fileName String, const tableName String, const fromCell String, const toCell String [, const getFieldNames Logical]) Logical to import Excel spreadsheet will

121 through 140 of about 141 matches.
<<previous Page: 1 2 3 4 5 6 [7] 8 **next>>**

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Knowledge Base

Search the Knowledge Base

Select a Product: Corel Graphics Suite 10

Search for Text:

GO

Search Results:

141 **Apply button not functional for all Object transformations**
After performing a manual transformation to an object, clicking on the apply button on the property bar, does not finalize the tranformation. After typing in a value for an object transformation and hitting apply

142 **Opening Multiple Files in Explorer Launches Multiple Instances of CorelDRAWr 10 / PHOTO-PAINTr 10**
The following document will provide the necessary instructions to enable only one instance of the programs CorelDRAW, Corel PHOTO-PAINT, or Corel R.A.V.E. to be opened when double clicking on files from Explorer.

143 **The Clone tool in PhotoPaint leaves a trace of the brush**
With a file opened in PhotoPaint 10 (preferably with dark colors), select the clone tool, right click to reset the origin and drag the mouse, a trace of the brush will be left behind.S

144 **Error 1310 When Installing CorelDRAWr 10 on Windows NT**
When installing CorelDRAW 10 on Windows NT, multiple instances of "Error 1310" can occur.o

145 **How to get a mask in the exact position**
Once the mask is created with the Mask Tool, it can't be moved. If it isn't in the exact position, the mask has to be removed and reapplied.

146 **''Save As'' Dialog Box is Displayed in German**
When saving files for the first time, the text in the 'save as' dialog box is displayed in German.t

147 **Changing File Associations in Windows**
After the installation of a new application all the graphics files (ie. jpg, tif, gif, bmp) are associated with the new application.p

148 **Toolbar(s), Menubar(s) or Color Palettes are Missing**
The toolbar(s), menubar(s) or color palettes are missing when opening the program.F

149 **Creating Transparencies in Animated GIFS with PhotoPAINT10**
Animated Gif files created in PhotoPAINT or RAVE can have transparent backgrounds. To do this, follow the procedure listed below.e

150 **Cannot Apply Bitmap Effects After Having Installed Service Pack 1**

After installing Service Pack One and trying to apply bitmap effects in CorelDRAW or PHOTO-PAINT 10, the following error occurs: "Crlfx100 cannot create effect component."

151 **''Setup Did not Complete'' Error Message when Attempting to Install CorelDRAWr 10**
When installing CorelDRAW 10, the following error may occur: "Setup did not complete, you must try again."

152 **Converting PHOTO-PAINT 9 Scripts for use in PHOTO-PAINT 10**

153 **Error When Attempting to Launch Corel Texture**
When attempting to launch Corel Texture user receives error - "Entries Missing in System Registry" or "Goodies not found"

154 **Error ''Application could not inquire about the palette of the image from the twain driver, Image aquiring is aborted''**
When trying to aquire an image from a scsi scanner, the following error will occur. "Application could not inquire about the palette of the image from the twain driver, Image aquiring is aborted."e

155 **Cannot Launch CorelDRAWr 10 after Installing Service Pack 2**
This will prevent the launch of CorelDRAW 10, PHOTO-PAINT 10 and R. A.V.E. 1.0. This may occur as a result of Norton Utilities being resident in memory during the installation of service pack 2.e

156 **''Cannot Create Effect Component'' Message when Accessing Bitmap Effects in CorelDRAWr 10 / PHOTO-PAINTr 10**
Cannot Create Effect Component' when accessing bitmap effects after having installed CorelDRAW 10 Service Pack 1. This may occur as a result of having TSR's loaded into memory which had conflicted with the installation

157 **Poor Performance of PHOTO-PAINTr 10 When Using a Wacom Tablet**
PHOTO-PAINT can take a long time to repond to basic commands if a Wacomr Graphire tablet is being used or installed on the computer.

158 **''Setup Did Not Complete'' When Installing CorelDRAWr 10**
"Setup Did Not Complete" message occurs when installing CorelDRAWr 10.c

159 **Cannot Install Corel Graphic Suite 10 on the OSX Partition of a Dual Boot System**
When installing Corel Graphic Suite 10 on an OSX partition of a dual boot system, various errors will appear.r

160 **Corel Graphic Suite 10 Crashes on OS 9.2 or Below**
With virtual memory turned off, Corel Graphic Suite 10 on Mac OS 9.2 or lower keeps crashing.

141 through 160 of about 161 matches.
<<previous Page: 1 2 3 4 5 6 7 [8] 9 **next>>**

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Knowledge Base

Search the Knowledge Base

Select a Product: Corel Graphics Suite 10

Search for Text:

Search Results:

161 **Resetting the Defaults in Corel Graphic Suite 10**
Sometimes it is necessary to go back to the default workspace as a result of corruption. Missing menus, toolbars and custom settings may disappear and require that the application be reset to factory default.

162 **''The Application Login Window Could not be Quit'' Error occurs when Installing Corel Graphic Suite 10 on Mac OS 10**
When installing CorelDRAW 10 for Macintosh on Mac OS 10, the following error is produced: "The application Login Window could not be quit".c

161 through 162 of about 162 matches.

<<previous Page: 1 2 3 4 5 6 7 8 [9]

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Unable to Adjust Line Spacing Values in the Format Text Dialog Box

Article ID: 205823
Revision Date: March 11, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When trying to adjust the line spacing of text in the Format Text dialog box, the values remain unchanged. Manually typing in a new value or clicking on the Up or down arrows have no effect. The new value always resets back to the original value.p

Disable the 'lock' to the right of the apply button, then change the line spacing values as desired. Click the 'Apply' button to update the changes within your file.w

This issue was fixed with the release of CorelDRAW Service Pack 1.h

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Unable to Apply More Than One Decimal Place when Specifying Outline Widths

Article ID: 205827
Revision Date: March 11, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When specifying line widths in the Outline Pen Dialog window (and on the Outline Tab in the Properties Docker window), values of two or more decimal places will be rounded off.

With the object selected, input an value in the Outline Width field on the property bar. Entering a value here will allow as many decimal places that the Drawing Precision is set for.

The Drawing Precision settings can be changed in Tools, Options, Edit.

This issue was corrected with the release of CorelDRAW 10 Service Pack 1.e

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Some of the Full Color Pattern Fills do not Display Correctly.

Article ID: 205852
Revision Date: March 11, 2002

The information in this document applies to:
CorelDRAW (TM) 10

In the Pattern Fill dialog window, some of the fills do not preview correctly, and when applied do not fill as they did in previous versions or CorelDRAW.

Click File, Import and browse to the following location.

C:\Program Files\Corel\Graphics10\Custom\Patterns.

Import the fill in question, for now use the bubble1.pat

Then click Tools, Create, Pattern.

Select Full Color, Click O.k.

With the Crosshair cursor, click and drag directly around the grey rectangle of the pattern. Only selecting the rectangle and a small pie section out of each elipse.

Let go, click o.k, then it will prompt for a save. Overwrite the existing file that was imported.Ì

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Where is the Special Fill Docker

Article ID: 205853
Revision Date: May 07, 2001

The information in this document applies to:
CorelDRAW (TM) 10

Unable to locate the Special fill docker window.

Unable to apply an existing fill to a new object.

This docker has been replaced by a feature called "Copy Fill Properties"

Click Tools, customization, select commands.

Choose Fill And Outline for the category at the top.

Scroll down the list of tools, select the "Copy Fill Properties".

Click and drag it into the CorelDRAW workspace and click o.k.

This new toolbar can be placed permanently anywhere in the CorelDRAW workspace.

Create a new object.

Click on the Copy fill properties button.

With the large arrow click on an object you want to copy the fill properties from.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Cloned Text Does Not Update Correctly

Article ID: 205854
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

After creating cloned text, any attribute changes made to the control text will be updated in the clone(s).

However, modifying the content of the control text, does not update its clone(s).

After modifying the content of the control text, select it with the pick tool and click on a black color on the palette, or the same color as the original control text. The cloned text will now show the changes originally made to the content.

Changing any other attribute of the control text will work as well (point size, font, color).

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Using the Preset Fill Icons for Percentages of Black results in C.A.R.M.

Article ID: 205893
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

Adding the custom toolbars for percentage of black fills will cause the Corel Application Recovery Manager (C.A.R.M.)to appear.

Use the default CMYK palette in CorelDRAW 10 to apply percentages of black to objects. The first eleven colors on this palette range from 100 lack to 100 te in increments of 10 p>

As an alternative, a custom color palette can be created with only these 11 colorst

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Unable to Add a Space Between Characters when Typing

Article ID: 205917
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

While adding a space to text, the text tool switches to the pick tool. The user may also experience a 'beep' when the space bar is used while typing text.

Click the View menu and remove the checkmark from Enable Rollover.o

This issue was corrected in CorelDRAW 10 Service pack 2.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Uninstalling CorelDRAWr 10 from Windowsr 95

Article ID: 206249
Revision Date: June 20, 2001

The information in this document applies to:
CorelDRAW (TM) 10

Warning: Before manually uninstalling any application from Windowsr 95, it is strongly recommended to back up the SYSTEM.DAT and USER.DAT files. In addition you should make backups of the WIN.INI and SYSTEM.INI files to a floppy disk. These files can be found in the WINDOWS 95 folder.

CorelDRAWr 10 is not compatible with or supported on Windows 95. To uninstall CorelDRAW 10 from the system, it must be done manually. The following sections will provide the necessary instructions to uninstall CorelDRAW 10:s

Note: Before attempting a manual uninstall of CorelDRAW, from a system running Windows 95, the following precautions are strongly recommended:

* Create a Startup Disk to allow recovery of basic computer functions in the event of a complete computer failure. The Startup Disk may be created during the Windows 95 installation process or by clicking Start, Settings, Control Panel. Double-click on the Add/ Remove Programs icon, and click Startup Disk, Create.

* Copy the SYSTEM.DAT and the USER.DAT to a folder on the Startup disk, or to an additional disk if there is not enough space. Both files are located in the root of the WINDOWS folder and can be used to restore the Windows 95 registry if damaged.

* Move or backup any files that you have created using CorelDRAW.

Removing Files

1. Click Start, Programs, Windows Explorer.

2. Double-click the drive letter that CorelDRAW was installed to (i.e. C:\).

3. Double-click the COREL folder and delete the folder where CorelDRAW is installed.

Note: Folder names may vary, if destination names were modified by the user during installation.

Removing Registry Entries

1. Click Start, Run.

2. Type REGEDIT on the Open command line and click OK.

3. Double-click on HKEY_CURRENT_USER to open the file. Do the same for Software.

4. Open up the Corel section and delete the following:

Corel PHOTO-PAINT

Corel R.A.V.E.

Corel Texture (Version 3.0)

CorelDRAW

Texture Batcher (Version 3.0)

5. Close HKEY_CURRENT_USER, double-click on HKEY_LOCAL_MACHINE to open it and double-click on Software. Double-click on the Corel Section.

6. Open the files listed below and delete any references to CorelDRAW 10. There may be a section entitled "10". Delete that section only.

Corel R.A.V.E.

CorelDRAW

MasterComponentList

CorelSEARCH

Media

Component Apps

Removing Taskbar Entries

1. Click Start, Settings, Taskbar.

2. Click Start Menu Programs and click Remove.

3. Click the version of CorelDRAW being removed and click Remove.S

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter

Copyright © 2003 Corel Corporation. All Rights Reserved.

Installation Instructions and FAQs

Article ID: 206250
Revision Date: June 26, 2001

The information in this document applies to:
CorelDRAW (TM) 10

The following document is divided into four sections:

* Installing CorelDRAWr 10

* Uninstalling CorelDRAW 10

* Guidelines for a clean installation

* Installation Frequently Asked Questions

Note: Before proceeding, ensure that the computer meets all hardware requirements and is running Windowsr98, WindowsrME, Windows NTr4.0 or Windowsr2000. CorelDRAW 10 is not designed for, and will not run on, earlier versions of Windows or Windows NT.

The steps in this document should be followed if any difficulties are encountered during or immediately after the installation of CorelDRAW 10.

Note: It is important to read through this entire document before proceeding.

Installing CorelDRAWr 10

1. Ensure that all other applications, Terminate & Stay Resident programs(TSRs) and screen savers have been disabled. For information about disabling these applications, refer to the Clean Installation section of this document. The setup routine will automatically disable any of the standard Microsoft Screen Savers automatically.

2. Insert CD-ROM#1. If the Auto Insert Notification is enabled, the Setup splash screen should appear. Click on the Install CorelDRAW10, Install Corel PHOTO-PAINTr10, Install CorelR.A.V.E.T10 option. If the Setup splash screen does not appear, click Start, Run and type X:\SETUP32.EXE (where X represents the CD-ROM drive letter) on the Open command line. Click OK.

3. After initializing, the "Welcome to CorelDRAW 10 setup" screen appears. Click next.

4. The CorelDRAW 10 License Agreement is displayed. Read the agreement carefully and click Accept or Decline.

5. The "Personalize CorelDRAW 10" screen appears. Enter your name and company name and click next.

6. CorelDRAW 10 Serial Number. Enter the product serial number in the space provided. The serial number is located on a black "Product Authenticity Card" included with the software. Click Next to continue. Please note, you must enter the registration number into the space provided, or CorelDRAW will NOT install.

7. On the "CorelDRAW 10 Setup Options" screen, click Typical, Compact or Custom.

8. Click Next to continue, and follow the instructions below for the selected installation option:

For the Compact and Typical Installation options:

o Destination Folder - Select the destination folders for CorelDRAW 10 and click Next.

o Shortcut Folder - Select the Shortcut folder or leave as default. Click Next.

o Ready To Install - You are now ready to install. Click Install and follow the "Installation Continued" steps listed below.

For The Custom Installation:

+ Components - Select the applications and filters that you wish to install. Clicking the + preceding each selection will expand the group to display the components within each group. Click Next to continue.

+ Writing Tools - Select the Spell Checker, Thesaurus and Grammatik languages that you wish to install. Click Next to continue.

+ Color Profile - Select an optional color profile for the Monitor, Input device (i.e.: Scanner, Digital Camera) and Printer. Click Next to continue. Note: It is not necessary to install color profiles at this time. They can be installed later, through the Corel Color Profile Wizard.

+ Fonts - Select the desired fonts and click Next. Note: It is strongly recommended that all of the fonts supplied are not installed. This will cause slow performance and irregular system operation. It is recommended that the number of fonts installed on the computer not exceed 450.

+ Destination Folder - Select the destination folders for CorelDRAW 10 and True Type fonts and click Next. Note: It is recommended that the Fonts be installed to the default folder.

+ Temp Folder Selection - These are folders that will be used when temporary disk space is required. It is recommended to assign local hard drives only. Click Next.

+ Shortcut Folder - Select the Shortcut folder or leave as default. Click Next.

+ Ready To Install - You are now ready to install. Click Install, and follow the "Installation Continued" steps listed below.

9. Installation Complete! Click OK. If you are prompted to Restart Windows, click Yes. Installation times will vary depending on the system configuration and installation options selected.

Uninstalling CorelDRAWr 10

1. Click Start, Programs, CorelDRAW 10, Setup and Notes, Corel Uninstaller 10.

2. "Welcome to the Corel Uninstaller" appears. Click Next.

3. "Select products to remove" appears. Enable the check boxes next to the corresponding program or components that you wish to uninstall. If needed, click the + in front of the group to expand the selections.

4. Click Next.

5. "Ready to remove products" appears. Verify that selections and click Next.

6. "Ready to remove products" appears. Click OK to begin uninstalling.

7. Click Finish when prompted.

8. Click Yes if prompted to reboot the system.

Note: If, for any reason, the Uninstaller fails to complete, you must perform a manual uninstall. For more information about manually uninstalling CorelDRAW 10, refer to Fax on

Demand document #3950 Uninstalling from Windows 95. This document applies to other versions of Windows.

Guidelines for a Clean Installation

If you are receiving errors or experiencing system instability during the installation of CorelDRAW 10, perform the following steps to reduce potential conflicts during the installation. It is important to follow all suggestions before reinstalling CorelDRAW 10. These instructions pertain to Windows 98 and Windows ME only.

Note: Before proceeding, ensure that you have a recent Windows 98 or Windows ME Startup Diskette. If you require information for creating one, consult the Windows 98 or Windows ME user manual.

1. Run MSCONFIG.

+ Click Start, Run.

+ Where it says `Open', type in msconfig.

+ In the msconfig dialog box, enable selective startup and deselect "Load Startup Group items."

+ Click the Advanced button.

+ In the Advanced settings, place a checkmark beside "Enable VGA 640 x 480 x 16".

+ Click OK twice.

+ When prompted to Restart the computer, click Yes.

2. Close down all programs and Terminate & Stay Resident (TSRs) programs

+ After your system has rebooted, press CTRL, ALT, DEL. This brings up the Close Program dialog box.

+ Select each program in the list one at a time and click End Task . You will need to press CTRL, ALT, DEL to bring the Close Program dialog box up after each program is closed.

Note: Do not end task on Explorer or Systray.

+ After all TSRs have been closed, press CTRL, ALT, DEL to verify that the only item in the list is Explorer or Systray. Click Cancel to close the Close Program dialog box.

You are now ready to install. Follow the directions at the beginning of this document to install CorelDRAW 10. After the installation is complete, reverse the above steps to return the computer to its original configuration. TSRs will automatically reload when the system is restarted.

Installation Frequently Asked Questions

Q. During the installation, a series of errors are generated stating "A required source file was not found" What does this mean?

A. This error may occur when one or more drives are running in MS-DOS Compatibility Mode. To verify this, click Start, Settings, Control Panel and double-click the System icon. Click the Performance tab. If any drives are running in this mode, contact your hardware vendor for assistance in resolving this issue. When a CD-ROM drive is running in MS-DOS Compatibility Mode, it is usually using 16-bit drivers. Update these drivers to 32-bit before proceeding. If there is no indication of MS-DOS Compatibility mode, follow the instructions for a Clean Installation found earlier in this document.

Q. How can I start the setup routing if the splash screen doesn't appear when I insert CD-ROM #1?

A. Click Start, Run. Type X:\SETUP32 (where X is the CD-ROM drive letter) and click OK.

Q. How can I avoid getting an Invalid Page Fault (IPF) when attempting to install the application?

A. To resolve this, follow the instructions for a clean installation found earlier in this document.

Q. I can't find my registration card. How can I find my serial number?

A. Look through all of the documentation that came with the package carefully. There should be a black "Product Authenticity Card" included with the software. The serial number is printed on this card. Contact Customer Service at 1-800-772-6735 if this number cannot be located.

Q. After installing CorelDRAW10 my system fonts or fonts in other programs are messed up. I did a full installation with everything selected. How can I fix this?

A. If you installed all of the fonts that are included with CorelDRAW10 or the total font count on the system is over 500, refer to Fax On Demand document #2102.

Q. How can I correct errors reading the CD-ROM when installing CorelDRAW 10?

A. Ensure that you are using 32-bit Windows drivers for your CD-ROM. Inspect the underside of the CD-ROM for fingerprints, dust or scratches. If you find any dust or fingerprints, clean the CD-ROM with a CD-ROM cleaning kit or wipe the CD-ROM with a soft, lint-free cloth from the center hub to the outer edge of the CD-ROM. Do not wipe in a circular motion.

Q. How do I perform a Network installation?

A. A Network Installation requires additional licenses for the workstations that you will be installing the package to. Contact your local Corel Approved Reseller to purchase additional licenses.

Q. Do I have to install CorelDRAW 10 over my previous version of CorelDRAW?

A. No, do not install CorelDRAW 10 over any previous version of CorelDRAW. Ensure that you install it to an entirely different folder to ensure a successful installation.

Q. When I installed CorelDRAW 10, CD-ROM #1 was the only CD-ROM required. How do I install CD-ROM #2 and 3?

A. CD-ROM #2 and 3 do not install. They contain clipart, photos, sample files, brushes, etc, and are used in conjunction with the application modules.

Q. I just installed CorelDRAW 10 on a computer running Windows 95, and I am now getting Invalid Page Faults and Procedure Entry Point errors opening my programs. How can I resolve this?

A. CorelDRAW 10 was designed and tested to run on either Windows 98, Windows ME Windows NT 4.0 or Windows 2000. No other operating systems are currently supported. To uninstall CorelDRAW 10 from Windows 95, please refer to Fax on Demand Document #3950 - Uninstalling CorelDRAWr 10 from Windows 95.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter

Copyright © 2003 Corel Corporation. All Rights Reserved.

Default Installation Files

Article ID: 206251
Revision Date: June 20, 2001

The information in this document applies to:
CorelDRAW (TM) 10

The following list displays all the components available for installation with CorelDRAWr 10 Graphics Suite. An asterisk (*) indicates that the component is part of the Typical installation option. All other items are available by running the Custom installation option and the Add Component installation.l

CorelDRAWr

Program Files*

Help Files*

Tutors and Examples*

Outlines & Fills*

Scripts*

Presets*

Tiles and Frames*

File Associations

Corel PHOTO-PAINTr

Program Files*

Help Files*

Tutors and Examples*

Scripts and Script Effects*

Tiles and Frames*

File Associations

Corel R.A.V.E.T

Program Files*

Help Files*

Tutors*

Graphics Utilities

Corel CAPTURETM*

Corel TEXTURETM*

Corel TEXTURETM Batcher*

CorelTRACETM*

Aveo AttuneTM*

Thumbnail Display

Plug-In Filters*

Productivity Tools

Bitstreamr Font NavigatorTM 4.0*

Corel BAR CODE Wizard*

Service Bureau Wizard

Duplexing Wizard*

Labels*

Microsoftr Visual Basicr for Applications 6.2 & Microsoftr Internet

Explorer 5.0

Digital Signatures using Microsoft Internet Explorer 5.0

Microsoft Visual Basic Application 6.2

Import/Export File Types

Bitmap File Types

CPT*, TIF*, O/S BMP*, WI*, BMP*, GIF*, PCX*, JPG*, SCT, PSD*, FPX*, MAC, IMG, TGA*, PNG*, PCD*, CAL*, XCF*, PP4*, PP5*, RIF*, EXE, ICO, CUR, XPM, DCS*, PNM, PBM, PGM, PPM

Vector File Types

CDR*, 3DMF*, CPX*, CMX*, WMF*, VSD*, TTF, PS/PRN/EPS*, EPS*, EMF*, CGM*, WPG*, AI*, PDF*, PFB, DXF*, DWG, CDX*, SHW*, FMV, GEM, PLT/HGL, PIC*, FH*, MET, DRW, DSF*, FMV, NAP, PCT, PPT .

Animation File Types*

AVI*, MOV*, MOV(VR)*, GIF*

Text File Types

TXT*, RTF*, SAM*, WQ/WB*, WPM*, WP*, MIF*, WK*, XLS*, DOC*, WS*, WSD*, WSW*, XY*

Internet File Types*

HTML*.

Note: SWF, SVG and WAV file types are not listed as separate components; they are installed with the program files.,

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter

Copyright © 2003 Corel Corporation. All Rights Reserved.

AttuneT FAQs

Article ID: 206252
Revision Date: June 26, 2001

The information in this document applies to:
CorelDRAW (TM) 10

What is AttuneT?

Attune is a revolutionary service that provides you with targeted Intelligram messages to help you avoid common computer problems. Attune may also let you know when you need a specific product, service or upgrade to optimize the use of your computer.

What are the benefits?

*Attune can notify you of computer problems before they occur.

*You will only be notified when there is an issue that is specifically relevant to your computer.

*Attune continually keeps its information up-to-date. Tips, patches and bug fixes are provided proactively.

*Your privacy is absolutely protected.

How does Attune work?

Attune runs quietly in the background and automatically updates its Intelligrams when you are connected to the Internet. If you are about to encounter a situation on your computer that is known to cause problems, Attune presents you with the solution to the situation through an Intelligram.

Intelligrams are "Intelligent Telegrams," with the addition of a logic rule that determines if the Intelligram is relevant for you and exactly when you should be notified about it. An Intelligram might contain workaround steps to a problem, directions for downloading a software patch or a simple executable file for you to run.s

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Installing True Type Fonts

Article ID: 206253
Revision Date: June 20, 2001

The information in this document applies to:
CorelDRAW (TM) 10

The True Type font engine is an integral component of Windowsr 98/2000. Therefore, a third-party font manager is not required to use True Type fonts in any application running in Windows 98/2000 environments. True Type fonts are installed to and accessed from the WINDOWS/FONTS folder in Windows 98/2000. CorelDRAWr 10 applications will access True Type fonts from this location.

Note: Installing an excessive number of Fonts (+500) may tax system resources, hinder performance and affect the operation of Windowsr.

There are two options for installing True Type Fonts in Windows 98/2000 or Windows NTr. Fonts may be installed using the Fonts icon within the Control Panel or through the Bitstream Font Navigator.

Installing True Type Fonts to Windowsr 98/2000 or Windows NTr:

1. Click Start, Settings, Control Panel and double-click the Fonts icon.

2. Click File, Install New Font.

3. Insert the CorelDRAW CD-ROM #1.

4. Click the CD-ROM drive from the Drives list box and double-click the folder that contains the desired fonts (i.e. X:\FONTS).

5. Click the fonts to be installed and click OK.

Installing Extra Fonts:

1. Click Start, Settings, Control Panel and double-click the Fonts icon.

2. Click File, Install New Font.

3. Insert the CorelDRAW 10 CD-ROM #2.

4. Double click extra fonts. Double-click the ttf or multiling folder.

5. Click the fonts to be installed and click OK.

Installing True Type Fonts from the Bitstream Font Navigator

1. Click Start, Programs, CorelDRAW10, Productivity Tools, Bitstream Font Navigator.

2. If this is the first time opening it will ask to catalog your system.

3. Once it has finished cataloging there will be two columns of fonts. One is the catalog contents(not installed) and the other is the installed fonts. To install a font from the catalog, right click the desired font and choose install. e

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Using Multilingual Fonts

Article ID: 206254
Revision Date: June 21, 2001

The information in this document applies to:
CorelDRAW (TM) 10

The CorelDRAWr 10 setup only contains a default set of fonts. Extra fonts are provided on the CD. Both True Type and Type 1 are provided on CD#1 in the Fonts folder and on CD#2 in the Extra Fonts folder.

Installing Multilingual Bitstream Fonts

There are additional Bitstream multilingual fonts provided with CorelDRAW 10. For the multilingual Bitstream fonts to be read correctly, they must be installed using the accompanying .inf file (Corel_bt.inf), located in the same folder as the fonts. The fonts are located on CD#2 in the \Extra Fonts\Multling folder.

To Install Multilingual Bitstream Fonts:

1. Launch Windows Explorer.

2. Insert CD-ROM #2.

3. Locate the\Extra Fonts\Multiling folder.

4. Select the file Corel_bt.inf. Right-click the selected file and choose Install.

Note: After installing these fonts, you must restart Windowsr and initialize the Fonts folder. Close all applications and restart Windows. After Windows launches, go to the Start Menu, choose Settings, Control panel and double-click the Fonts icon. This will open and initialize the fonts folder.

For additional information on creating multilingual documents, please refer to Windows on-line help (Topics: Multilanguage Support, Installing and Multilingual Documents, Creating).

Double Byte and Bi-Directional fonts are not supported when using Bitstream TrueDocT to embed fonts within a document.

On Microsoft Windows 2000, changing the default Writing Tools language in CorelDRAW 10 will cause the matching keyboard language to appear in the taskbar even if this input language is not installed by the user. This results from the operating system making all required .KBD files available when multi-language support is installed.

When installing different language keyboards on Windows NTr or Windows 2000, you must change both the input locale and the keyboard layout to an appropriate language for CorelDRAW in order to apply the correct text formatting.

CorelDRAW 10 uses a new method to enumerate multilingual fonts. However, because this differs from the font enumeration method used in earlier versions, the following limitations will occur:

*When saving a CorelDRAW document as Version 9 or earlier, the font codepage information will not be maintained.

*When opening earlier version files that contained multilingual fonts (for example, Arial

CYR), the Panose dialog will be invoked even if the font is installed on the system. The user needs to make the appropriate font substitution (to the appropriate typeface and codepage) and save the changes to the exceptions file once. When you are finished, save the file to a Version 10 format. You will not have to do this again.

*When opening earlier version files, the user must select each text object and set the appropriate language for those objects using the Language dialog. This way, the correct Writing Tools language (for spell checking and hyphenation) can be applied to the various text objects in the document. Also, the user can re-apply a multilingual font, so the appropriate character set will be displayed.

*When opening a file you have created in earlier versions of CorelDRAW, the characters might become unreadable or you might not be able to change the font. In CorelDRAW 10, the fonts are only intended to be applied to languages in which the font will work. If you select text that is unreadable or if you need to change the font, do the following:

1. Click Text, Writing Tools, Language.

2. Select the language of the current text. The characters should then be correct and allow you to change the font.o

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Search
MY ACCOUNT
VIEW CART

Knowledge Base

Search Form

Creating Transparent Bitmaps

Article ID: 206259
Revision Date: July 09, 2001

The information in this document applies to:
CorelDRAW (TM) 10

Transparent Bitmaps

When a bitmap image is used in desktop publishing applications, it is usually in the shape of a rectangle. This does not have to be the case when using Corel applications, because there are several different ways of making the background pixels of the image transparent, so the graphics laying behind the image will show through the bitmap. Eliminating a color can also alter the apparent shape of the bitmap. For example, if the Bitmap Color Mask is applied to the black background of a bitmap containing red text, the bitmap appears to take on the shape of the text only. The bitmap retains its original rectangular shape, but it will print and display without the black background. This document will outline several methods for creating transparent backgrounds on bitmaps.

Graphics Interchange Format (GIF) in Corel PHOTO-PAINTr 10 and CorelDRAWr 10

A bitmap image can be saved as a GIF file with a transparent background. When saving the file as a CompuServe GIF, be sure the Image has been converted to 256 colors.

The following method could be used to turn a CorelDRAWr 10 or Corel PHOTO-PAINTr 10 graphic into a bitmap image (CompuServe GIF) with a transparent background:

In Corel PHOTO-PAINTr 10:

1. Open the bitmap image.

2. Click File, Save As.

3. Select GIF - CompuServe Bitmap format from the Files Of Type list box and click the Save button.

4. In the GIF Export dialog box, enable the Image Color box. Select the Eye Dropper tool and click the desired color in the Original window. Click OK. Clicking the Preview button will display the result in the Result window.

In Corel PHOTO-PAINT 10 there is also an option to select Masked Area. If the image contains a mask, select this option and everything outside the mask will be designated as transparent. Note that the "Transparent Color" can also be changed by clicking on the Color Table button. When the image is imported into an application that does not support GIF transparencies, this will be the background color that is displayed.

In CorelDRAWr 10:

1. Import the bitmap image into an existing document.

2. Click File, Export.

3. Select the CompuServe Bitmap (GIF)format from the Save As Type list box and click Export.

4. In the Bitmap Export dialog box, select the desired bitmap settings. Internet graphics in

the GIF format are usually Paletted (8-bit) with a resolution of 72 dpi. Click the OK button.

5. In the GIF Export dialog box, enable the Image Color box. Select the Eye Dropper tool and click on the desired color in the Original preview window. Click OK.

Note: The Masked Area option is not available when exporting to the GIF file format from CorelDRAW 10.

Removing Bitmap Backgrounds Using the *.CPT filter:

Note: This method works best with images that contain backgrounds of a single color.

1. Open the image in Corel PHOTO-PAINT10.

2. Click on the Mask Tool with the left mouse button and hold. From the Mask flyout, select the Magic Wand Mask Tool.

3. Using the Magic Wand Mask Tool, click on the color background on the open image.

4. Click on the Mask menu. Select Invert.

5. Click on the Edit menu. Select Copy.

6. Click on the Edit menu, select Paste, New From Clipboard, or, click on File, New From Clipboard.

7. Save the file as a Corel PHOTO-PAINT Image (CPT).

8. Import the file into CorelDRAW 10.

Removing Bitmap Backgrounds Using Clipping Paths/Masks:

EPS Method:

Note: This method does not support CMYK 32-bit color bitmaps.

1. Open the image in Corel PHOTO-PAINT 10.

2. Using the Mask Tool, create a Mask around the desired area. Note: If using a Clipping Path, it is not necessary to create a Mask.

3. Click File, Save As. Save the file as EPS - Encapsulated PostScript.

4. In the EPS Export Options, enable the Include Thumbnail, Clip to Mask and Discard Image Data Outside Clipping Region.

5. Click OK.

6. Run CorelDRAW 10

7. Import the *.EPS file using the Adober PostScriptr Interpreted filter(*.PS).

Note: If the EPS file is imported as Encapsulated Postscript, the background will not be transparent on the display. This is only the header of the EPS file. The background will print as transparent when output to a Postscript device.

Mask Method:

1. Open the image in Corel PHOTO-PAINT 10.

2. Using the Mask Tool, create a Mask around the desired area.

3. Click File, Save As. Save the file to any one of the following popular file formats: CPT -

Corel PHOTO-PAINT, TIF - TIF Bitmap.

4. When importing this file into CorelDRAW 10, the unmasked area of the image will be transparent.

Removing Bitmap Backgrounds Using the Shape Tool:

Bitmaps that are imported into CorelDRAW 10 can have their rectangular backgrounds cropped by editing their shape using the Shape tool.

1. Import the bitmap into CorelDRAW 10

2. Click the bitmap with the Pick tool and click the Shape tool. Nodes will appear around the bitmap.

3. Click and drag a node with the Shape tool. This will bend and crop the image.

4. To increase the number of nodes around the bitmap, click the desired spot and press the + button found on the property bar.

5. The newly created node(s) can be moved with the Shape tool to crop the unwanted background.

Note: This bitmap will retain a rectangular shape if exported in bitmap format. To keep this effect, save the file as a CDR, CMX or an EPS file. To import the EPS file into CorelDRAW, you must use the Postscript Interpreted (PS) filter, instead of the EPS filter.

Transparent Bitmaps Using the "Convert To" Option

Graphics that are created in CorelDRAW 10 can easily be converted to bitmaps.

1. Click the Graphic using the Pick tool.

2. Click Bitmap Menu, Convert To Bitmap.

3. This dialog box gives you the option to set the colors, resolution, dithering and anti-aliasing as well as make the background transparent.

4. Enable the Transparent background check box.

Note: This transparency feature will only make a white background transparent. It does not give the option to make another color transparent and it cannot make the background of an existing bitmap transparent.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter

Copyright © 2003 Corel Corporation. All Rights Reserved.

File Backup Options

Article ID: 206261
Revision Date: June 21, 2001

The information in this document applies to:
CorelDRAW (TM) 10

There are two methods for creating backup files in CorelDRAWr 10. Both options, Make Backup on Save and Auto backup may be accessed by clicking Tools, Options, Work Space, Save. These options can be invoked individually or concurrently.i

Make Backup On Save

A backup file is created when a document is saved more than once during a work session. All backup files are given a file name beginning with BACKUP_OF_ and the file name. For example, the backup of SAMPLE.CDR will be named BACKUP_OF_SAMPLE.CDR. This backup file remains on the hard drive until manually deleted.

To enable the Backup on Save feature:

1. Click Tools, Options, Work Space, Save.

2. Enable the Make Backup on Save check box.

Note: You can have the backup files saved in the same folder as the original file. This cannot be changed.

The original file can be restored by opening the backup file. After opening a backup file, it is recommended that the file be saved under a new file name.

Auto Backup

This option backs up a file at scheduled intervals, preset by the CorelDRAW user. The automatic timer is activated the instant document contents change, and a file is generated with the file name AUTOBACKUP_OF_. Auto back up files are removed from the hard drive when CorelDRAW is closed or when the document is saved.

The auto backup file remains on the hard drive if the application is closed down abnormally. If this occurs, try the following steps:

1. Close all applications and restart the computer.

2. Using Windows Explorer, locate the folder where the auto backup file is located. By default, this will be the same folder where the original file was saved.

3. Click the file and click File, Rename.

4. Type a new file name for this file.

5. Launch CorelDRAW and open the file.

To enable the Auto Backup feature, perform the following steps:

1. Click Tools, Options, Work Space, Save.

2. Enable the Auto Backup check box.

3. Enter an interval time in the number list box (from 1 to 120 minutes).

4. By default, the folder in which the original file is saved is used for the auto backup file. This can be changed by enabling the Always Backup check box and selecting another folder.

Note: It is possible to disable both backup features, but it is not recommended.ÿ

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter

Copyright © 2003 Corel Corporation. All Rights Reserved.

Corel PHOTO-PAINTr 10 FAQs

Article ID: 206265
Revision Date: June 21, 2001

The information in this document applies to:
CorelDRAW (TM) 10

The following document contains answers to frequently asked questions about Corel PHOTO-PAINTr 10.

Q. Where are the Plugins located? Why don't they appear on the Effects menu?

A. To install the Plugins:

1. Click Tools, Options, Workspace, Plug-Ins.

2. Click Add.

3. Browse to the C:\PROGRAMFILES\COREL\GRAPHICS10\PLUGINS folder. Double-click the first Plugins folder. Repeat this process for all remaining plugin folders.

4. Enable the Initialize filters at start-up.

Q. Can the Undo level be changed to a higher number?

A. By default, the Undo level is set to 10. To change this setting, click Tools, Options, Memory and enable the Enable Undo check box. The maximum number of Undo levels is 99. Note: The more undo levels used, the more swap disk space Corel PHOTO-PAINT 10 requires.

Q. Why can't I color a part of my image using the Fill tool? Why does it always color the entire image?

A. Click the Fill tool. On the Property Bar, select the HSB Color Tolerance Mode. The value by default is 10. With the color tolerance value lower, you will be able to color specific parts of your image.

Q. Why does it take so long to open a Photo image from CD-ROM #3?

A. The Photo images on CD-ROM #3 are compressed using the Wavelet Compressed Bitmap (WI) format. The actual uncompressed file size of these bitmaps can be anywhere between 3 and 6MB in size.

Q. Why isn't the CompuServe Bitmap *.GIF filter type available in the Save Image As Type list box?

A. The CompuServe Bitmap *.GIF format requires the image to be 256 colors or Paletted (8-bit). Click Image, Mode and click Paletted (8-bit) to enable the *.GIF format.

Q. How can I create an animated GIF?

A. Click File, New. In the Create a New Image dialog box, click 8-bit Paletted as the color mode and 96 DPI as the resolution. Enable the Create A Movie check box and click the number of frames required. Click OK. Create the animation and save the file as a GIF Animation.

Q. Why are most of the Effect options grayed and unavailable?

A. Most of the Effects listed in the Effects menu require a RGB color(24-bit)image. From the Image menu, click Mode and click the RGB Color(24-bit)option.

Q. What are masks and how do I use them?

A. Masks allow the user to click an area of the image to protect or isolate it from effects applied to the image. Masks can be inverted, edited and saved using various commands in the Mask menu. To learn more about the many aspects of masking, consult the Corel PHOTO-PAINT 10 user manual, page 49.

Q. When opening a Kodak Photo CD Image, I cannot click OK or NEXT in the Image Enhancement section.

A. There are two possible workarounds if this occurs:

1. Click Start, Settings, Taskbar. Enable the Auto hide check box and click OK. This will allow the Taskbar to drop below the bottom of the display when not in use, therefore allowing the OK button to be displayed. By moving your cursor all the way to the bottom of the screen, the Taskbar will pop up again, or:

2. Click Start, Settings, Control Panel. Double-click the Display icon and click Settings. Change the Desktop Area to a higher setting than 640x480. If you have any difficulties changing the screen resolution.

Q. How can I get my images from Corel PHOTO-PAINT to the World Wide Web with a transparent background?

A. A bitmap image can be saved as a .GIF file with a transparent background. When saving the file, be sure the image has been converted to 256 colors and saved as CompuServe GIF.

In Corel PHOTO-PAINT 10:

1. Open or Import the bitmap image.

2. Click File, Export.

3. Click CompuServe GIF format from the Files of Type list box and type a file name.

4. Click Save.

5. Select Image Color, click on the EyeDropper Tool and click the area in the Original GIF Export dialogue box that you want transparent.

6. Click OK.

7. Import or Open in DRAW to view the resulting image.

Q. Where is the .MPG export file format in PHOTO-PAINT 10?

A. The file format .MPG has been omitted from PHOTO-PAINT 10.

Q. Where are the MOV and QTVR filters in PHOTO-PAINT 10?

A. You must install Apple(R) QuickTime(R) 3.0.2 or greater. An installer for QuickTime 4.1.2 is included on the CD. It is accessible through the Intro.exe executable at the root of the CD #1.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Printing FAQs

Article ID: 206266
Revision Date: June 21, 2001

The information in this document applies to:
CorelDRAW (TM) 10

The following document contains frequently asked questions about printing and CorelDRAWr 10.i

General Printing

Q. Why don't the colors print the same as they look on the screen?

A. Typically, this is due to an incorrect or invalid color profile activated in the Corel Color Manager 10. Generic profiles are active by default and may not produce optimal output for your computer. Try disabling the Apply ICC Profile check box, found on the Miscellaneous tab of the Print dialogue box. It is also important to note that many printer drivers have their own internal color management software that may be active. This should be disabled if using a Corel color profile.

Additionally, this color output issue may be a result of insufficient ink/toner or another physical problem with the output device. Try printing a test page from another application or from the driver to eliminate this as a cause.

Q. Why don't some bitmaps or fills print when placed over other objects?

A. This occurs because of a printer setting on some printers. To resolve this, click Start, Settings, Printers. Click the printer icon and click File, Properties. Click the Graphics tab and click Use Raster Graphics.

Q. How can I control the banding on my printed fountain fills?

A. It is possible to specify the number of steps in the fountain fills in your print job. A low number of steps prints faster, but the transition between shades may be rather coarse, causing what is known as banding. A higher value results in a smoother blend, but the printing time is longer. To change this setting, click File, Print and click the Miscellaneous tab. Type the number of steps to be used when rendering fountain fills in the Fountain Steps list box. You can preview how the fountain fill will appear by opening the pre-flight preview and adjusting the fountain steps.

Q. When I import an EPS file into CorelDRAW and print to a printer other than an Adober PostScriptr printer, the output appears pixilated and unclear. Why?

A. An EPS file is a Postscript (PS) file and is meant to be printed to a PostScript printer. When printed to a non-PostScript printer, it will only print the file header which is a low resolution preview of the actual file. If you wish to print the actual contents of the EPS file to a non-PostScript printer, import the file it into CorelDRAW using the PostScript Interpreted (PS, PRN, EPS) filter.

Q. Why do I get printer Spool file errors when I print?

A. This error is commonly caused by the WINDOWS\SPOOL folder becoming too full or unable to accept new data. If this occurs, ensure that the WINDOWS\SPOOL folder is purged of old print jobs. The spooler can also be disabled in the Printer Driver properties. For most printer drivers, click Start, Settings, Printers. Click the printer icon and click File, Properties. Click Details, Spool Settings. Enable the Print Directly To Printer check box.

Q. Why do bitmaps sometimes drop from my printed output?

A. This may happen when the print job is complex. To resolve this problem, try one of the following fixes:

1. Click File, Print Preview, Settings, Driver Compatibility and enable Output bitmaps in 64K Chunks, or:

2. Click File, Print Preview, Settings, Driver Compatibility and enable Send Bands to Driver.

Q. Why can't I import or print Duotone files that contain spot colors from CorelDRAW 10?

A. Duotones are 8-bit color images that use 256 shades of up to four tones. To import Duotones into CorelDRAW 10, there are two options. You can save the image in Corel PHOTO-PAINTr 10 as an EPS file and import it into CorelDRAW 10 using the Encapsulated Postscript (EPS) file type. It is important that the correct filter type be chosen. The separated output, assuming it is being sent to a capable PostScript device, will contain the corresponding spot color information, despite having a grayscale representation on the screen. The second method involves importing the bitmap into CorelDRAW and converting it to Duotone. Be sure to assign the Pantone colors in the Duotone dialogue box.

Q. Why is my printer generating a Print Overrun error message?

A. This message sometimes occurs with non-PostScript HP LaserJet printers. To resolve this, click Start, Settings, Printers. Click the printer icon and click File, Properties. Click the Graphics tab and enable Use Raster Graphics.

Q. My Printer is printing slowly and I sometimes receive the error message "Windows could not write to the printer spool file". How can I resolve this issue?

A. There are 3 possible solutions:

1. Click File, Print Preview, Settings, Driver Compatibility and enable Send Bands to Driver.

2. Click File, Print Preview, Settings, Driver Compatibility and enable Output bitmaps in 64K Chunks.

3. Click Start, Settings, Printers. Click the printer icon and click File, Properties. Click Details, Spool Settings. Enable the Print Directly To Printer check box.

Q. Why do I receive "Out of Memory" errors or low disk space warnings when I try to print from my Corel application?

A. This condition is directly related to the amount of system resources available at the time the print job is sent. It is essential to have sufficient free disk space on the hard drive where Windows is located for virtual memory, the creation of temp files and the printer spool file. Depending on the size of the file, free space required should be between 50 and 150 MB.

Q. Why do my separations contain CMYK values? I thought my original file only contained Spot colors? Where are these CMYK colors coming from?

A. In many cases, an object may be filled with a Spot color, but the outline may be assigned a CMYK value. Replace the CMYK outlines with the Spot equivalent. Also, ensure that you are not using a CMYK black or white.

Q. My HP printer will not print bitmaps. Instead of the image, a gray or black box is printed.

A. Find the driver initialization file on the hard drive (HP.INI, DESKJET.INI) and open it in Windows Notepad. Look for the line that reads "JumboTechnology=0100." Modify this line to read "JumboTechnology=0000." Save and close the file. Your bitmaps should print normally.

If the bitmaps still do not print correctly, click File, Print, Miscellaneous tab and scroll down the list of Special Settings. Click Print Bitmaps as RGB and click ON.

Q. Why is an IPF error generated when I try to print color separations?

A. Ensure that the date and time are set correctly for your computer. Click Start, Settings, Control Panel. Double-click Date/Time, adjust the date accordingly and click OK.

Q. Two-color pattern fills are not printing correctly on my printer. How can I correct this?

A. Click File, Print, Miscellaneous and scroll down the list of Special Settings. Click Print Bitmaps as RGB and click ON.

Q. Files that used to print correctly on my PostScript printer will no longer print from CorelDRAW 10. How can I correct this?

A. Click File, Print, PostScript and change Compatibility to Level 1. If the file still does not print, try reducing the Maximum Points Per Curve to 300 and enabling Auto Increase Flatness.

Q. Fonts are not printing correctly on my printer. What should I do?

A. For non-PostScript output, click File, Print Preview, Settings, Driver Compatibility and enable All Text As Graphics. For PostScript output, click File, Print, PostScript and disable Download Type 1 Fonts. Alternately, if Artistic Text is being used, it may be converted to curves before printing. Select the text object with the Pick tool and click Arrange, Convert to Curves.

Note: Text that has been converted to curves can no longer be edited as text.

Q. Why is the orientation of the output incorrect when printing to an image setter or other roll-fed devices?

A. Obtain the latest PostScript driver for this device. The latest Adober PostScriptr driver corrects orientation issues on Level 2 PostScript devices.

Q. When I use CorelDRAW's Drop Shadow effect and place the object on top of a bitmap or colored background, it prints with a halo effect around the drop shadow. How do I stop that from happening?

A. Most color printer drivers have a setting in the properties that controls how the output will print. These settings are usually named Automatic, Photographic, Vivid Color or Presentation. The default is often set to Automatic. Change this setting to one of the other available settings, such as Vivid or Photographic and print the file. If you are using a Color Profile in CorelDRAW, disable the printer color correction in the Printer Properties first. In CorelDRAW, click Tools, Options, Global, Color Management, General and change the Color Matching Mode to Photographic or Illustration.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter

Copyright © 2003 Corel Corporation. All Rights Reserved.

Accessing Clipart and Symbols

Article ID: 206267
Revision Date: June 21, 2001

The information in this document applies to:
CorelDRAW (TM) 10

There are over 25,000 clipart images and symbols in CorelDRAWr 10. Importing is the primary method of accessing the clipart in CorelDRAW products for use within a document. This tutorial will outline the steps required to search for and import a specific clipart image from the clipart manual.w

Importing Clipart

Search for the Clipart image bluegill.cdr

1. Insert the CorelDRAW 10 CD-ROM #2.

2. Click File, Import in the application CorelDRAW 10.

3. In the List Files of Type list box, choose CorelDRAW .CDR.

4. From the Import dialog box, select the appropriate CD drive. Double-click the Clipart folder and the Collection folder.

5. A list of clipart categories will appear in the import window.

6. Double-click on the Fish folder.

7. From the list of files, select bluegill.cdr and click Import.

8. Click on the page location where you want the image to be placed, or hit the space bar to drop the image at the default location.

Accessing Symbols

Symbols are not Opened or Imported into a document. Symbols are installed in the same manner as True Type Fonts, through the Windowsr Fonts folder.

Note: The CorelDRAW symbols can be accessed directly from CorelDRAW, provided all of the symbols have been previously installed. If all of the symbols are not available, install them in the same manner you would install True Type fonts.

Installing Symbols on Windowsr 98/2000/ME or Windows NTr:

1. Click Start, Settings, Control Panel and double-click the Fonts icon.

2. Click File, Install New Font.

3. Insert the CorelDRAW 10 CD-ROM #2.

4. Click the CD-ROM drive from the Drives list box and double-click the folder that contains the desired symbols (i.e.X:\EXTRAFONTS\SYMBOLS\TTF).

5. Click the symbol to be installed and click OK.

To access a Symbol in CorelDRAWr 10:

1. Click Window, Dockers, Symbols and Special Characters, or click Tools, Symbols and Special Characters.

2. The Symbols and Special Character Docker will appear. Locate the appropriate category for the desired symbol in the list box.

3. Drag and drop the symbol onto the document.

Templates

Templates are found on CD-ROM #1 in the TEMPLATE folder.

1. Click File, New From Template.

2. Click the Browse tab.

3. Choose the CD-ROM drive.

4. Double-click the Corel folder, Graphics10, DRAW and Template.

5. You now have access to the Booklet, FullPage, Label, Sidefold and Web Template folders.

Photos and Bitmaps

Photos and Bitmaps can be found on CD-ROM #3. Photos are in the PHOTOS folder and the Bitmaps are located under the IMAGES folder. To access them, click File, Import and click Wavelet Compressed Bitmap (WI) for photos and TIFF Bitmaps (TIF) for all other bitmaps in the Files of Type list box. Refer to the Clipart manual to properly associate the desired image to its respective category.

Floating Objects

Floating Objects are found on CD-ROM #3 in the OBJECTS folder. To access them, they must be opened in Corel PHOTO PAINTr or imported into CorelDRAW.

3D Models

3D Models are located on CD-ROM #3. They can be opened in CorelDRAW and in PHOTO-PAINT with the 3DM file filter.

Brush Textures

Brush textures can be used within CorelDRAW and Corel R.A.V.E.T To add additional brush textures, drag and drop these files to the Draw\CustomMediaStrokes folder where CorelDRAW is installed.

Frames

Frames can be used within CorelDRAW, Corel PHOTO-PAINTr, and Corel R.A.V.E. To add additional frames, drag and drop these files to the Custom\Frames folder where CorelDRAW is installed.

Image Lists

Image Lists can be used within Corel PHOTO-PAINT. To add additional image lists, drag and drop these files to the Photopnt\ImgLists folder where Corel PHOTO-PAINT is installed.

Spray lists

Spray lists can be used in CorelDRAW and Corel R.A.V.E. To add additional spray lists, drag and drop these files to the Draw\CustomMediaStrokes folder where CorelDRAW is installed.

Patterns

Select patterns to use within CorelDRAW, Corel PHOTO-PAINT and Corel R.A.V.E. To additional patterns, drag and drop these files to the Custom\Patterns folder where CorelDRAW is installed.

Sounds

CorelDRAW and Corel R.A.V.E. support sounds through the operating system. You can assign feedback sounds to specific events and you can enable feedback sounds. To assign feedback sounds with CorelDRAW and Corel R.A.V.E.:

1. Click Start on the Windows taskbar.

2. Click Settings, Control Panel.

3. Double-click Sounds.

4. Choose CorelDRAW or Corel R.A.V.E. from the Events list.

5. Click an Event.

6. Choose a sound from the Name list box.

Note: The .wav files chosen to be used in the applications must be copied into the Windows Media Folder.

Tiles

Tiles can be used within CorelDRAW, Corel PHOTO-PAINT and Corel R.A.V.E. To add additional tiles, drag and drop these files to the Custom\Tiles folder where CorelDRAW is installed.

Webart

Raster and vector webart images can be used within CorelDRAW, Corel PHOTO-PAINT and Corel R.A.V.E.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter

Copyright © 2003 Corel Corporation. All Rights Reserved.

Assigning PANTONE MATCHING SYSTEMr Colors to Raster Images

Article ID: 206268
Revision Date: June 21, 2001

The information in this document applies to:
CorelDRAW (TM) 10

Raster images or bitmaps are generally CMYK or RGB. As a result, PMS (PANTONE MATCHING SYSTEMr) colors are unavailable when printing separations. There are two ways to assign PMS colors to a raster image using CorelDRAWr 10.

Converting an Image To Duotone

To convert a bitmap image to a duotone in CorelDRAW 10, import the bitmap (.CPT, .BMP, .TIF, .JPG, or .GIF). Select the bitmap with the pick tool. Click on the Bitmap menu and select Mode, Duotone. To change the color to a Pantone color, double-click the Pantone color to obtain the "Select Color" dialogue menu. Once the color is selected, click OK. Click again to exit the "Duotone" dialogue box.

The image can also be converted to a Monotone, Duotone, Tritone or Quadtone using the duotone dialogue box. Any combined PMS colors create the appearance of another color space.

Using 1-bit Monochrome Images

To convert an image into a 1-bit monochrome bitmap, first import the bitmap into CorelDRAW. Click on the Bitmap menu, Convert to, Black and White (1-bit). Select the desired Conversion Method and click OK. Now that the image is a 1-bit bitmap, select the bitmap with the pick tool. Using the outline tool, select the desired PMS color. Assigning the outline color changes the black pixels in the image and assigning a fill color changes the white or transparent pixels in the image.

To verify that the bitmap is separating on a Pantone plate, click File, Print Preview. Click the Options button, the Separations tab, enable Print Separations and click OK. Each of the separations should now be displayed.

Note: This method will not work if the image is converted to Black and White by selecting Mode, Black and White. You must convert the image using Convert to in order to achieve the desired effect.

Creating a Duotone Image in Corel PHOTO-PAINTr10

Open the bitmap image in Corel PHOTO-PAINTr10. Click on Image, Mode, Duotone (8-bit). Select the Type: Monotone, Duotone, Tritone or Quadtone. Double-click the Pantone color name to open the Select Color dialog. Select the desired Pantone Matching System color and click OK. Click OK again to complete the conversion. Now save the file to the EPS file format. Click on File, Save As, enter a filename, select Encapsulated PostScriptr (EPS) from the Save as Type list and click the Save button.

The file is now ready to be imported into CorelDRAW 10 or another application that supports the EPS file format. Use the Encapsulated PostScript (EPS) filter in CorelDRAWT 8 to import the file.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Cannot Access Bitmap Effects when Logged in as a Member of the ''Users'' Group

Article ID: 206269
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

In Windows NT and Windows 2000, selecting options under the Image or Effects menu will not display the corresponding dialog boxes when logged in as a member of a group which does not have administrative priviledges.i

It is very important to make a backup of your Windows registry prior to proceeding with the following instructions. If you are unfamiliar with backing up the registry or registry editing in general, it is strongly recommended that your system administrator make the following changes. The importance of adhering to recommended recovery precautions as listed cannot be overstated. The Corel Corporation assumes no expressed or implied liability for any computer or software damages resulting from the use or misuse of this information.

The Workaround to getting the Image and Effects dialogues to display in CorelDRAW 10 and PHOTO-PAINT 10 for non-admin users is as follows:

1. Log on as the Administrator

2. Click Start, Run

3. Type 'regedt32' (without quotes) and click OK

4. Select HKEY_LOCAL_MACHINE, SOFTWARE, COREL, CorelDRAW

5. With the CorelDRAW key highlighted, select the SECURITY menu and choose PERMISSIONS

6. Provide the groups that are to be running the applications full control (It will only give them access to this key and all of the subkeys)

7. Click APPLY and then OK

The dialog boxes will now appear in CorelDRAW and Corel PHOTO-PAINT for for all users.c

NOTE: The same instructions apply for Windows XP, only the PERMISSIONS option in regedt32 is located under the EDIT menu.A

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Opening Multiple Files in Explorer Launches Multiple Instances of CorelDRAWr 10 / PHOTO-PAINTr 10

Article ID: 206270
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

The following document will provide the necessary instructions to enable only one instance of the programs CorelDRAW, Corel PHOTO-PAINT, or Corel R.A.V.E. to be opened when double clicking on files from Explorer.c

CorelDRAW

1. Double click the My Computer icon on the desktop.

2. Click on View -> Folder Options (Windows 98), Tools -> Folder Options (Win ME/2000) or View -> Options (Win NT).

3. Click the File Types tab.

4. Under the Registered File Types dialogue box, select .CDR CorelDRAW10.0 Graphic.

5. Click on the Advanced button.

6. Highlight Open under the Actions section and click Edit.

7. In the Editing for Action dialogue box you will need to add the following information:

Action:Open

Application used to perform Action: "x:\programfiles\corel\graphics10\programs\coreldrw.exe" where x: is the letter of the drive the program is installed on)

Put a check mark in Use DDE

DDE message:[O(")]

Application:coreldrw_MOS

DDE Application Not Running:Leave this field empty.

Topic:System

9. Click OK, then OK, then Close.

Multiple instances of CorelDRAW 10 will no longer launch when opening more than one file in Windows Explorer.

Corel R.A.V.E

1. Double click the My Computer icon on the desktop.

2. Click on View -> Folder Options (Windows 98), Tools -> Folder Options (Win ME/2000) or View -> Options (Win NT).

3. Click the File Types tab.

4. Under the Registered File Types dialogue box, select .CLK Corel R.A.V.E. 1.0.

5. Click on the Advanced button.

6. Highlight Open under the Actions section and click Edit.

7. In the Editing for Action dialogue box you will need to add the following information:

Action:Open

Application used to perform Action:"x:\ProgramFiles\Corel\Graphics10\Programs\Rave.exe" where x: is the letter of the drive the program is installed on)

Put a check mark in Use DDE

DDE message:[O(")]

Application:rave_MOS

DDE Application Not Running:Leave this field empty.

Topic:System

9. Click OK, then OK, then Close.

Multiple instances of Corel R.A.V.E. 1.0 will no longer launch when opening more than one file in Windows Explorer.

Corel PHOTO-PAINT

1. Double click the My Computer icon on the desktop.

2. Click on View -> Folder Options (Windows 98), Tools -> Folder Options (Win ME/2000) or View -> Options (Win NT).

3. Click the File Types tab.

4. Under the Registered File Types dialogue box, select .CPT Corel Photo-Paint 10.0 Image.

5. Click on the Advanced button.

6. Highlight Open under the Actions section and click Edit.

7. In the Editing for Action dialogue box you will need to add the following information:

Action:Open

Application used to perform Action:"x:\ProgramFiles\Corel\Graphics10\Programs\photopnt.exe" /dde (where x: is the letter of the drive the program is installed on)

Put a check mark in Use DDE

DDE message:[open(")]

Application:Leave this field empty.

DDE Application Not Running:Leave this field empty.

Topic:Leave this field empty.

9. Click OK, then OK, then Close.

Multiple instances of Corel PHOTO-PAINT 10 will no longer launch when opening more than one file in Windows Explorer.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter

Copyright © 2003 Corel Corporation. All Rights Reserved.

Cannot Launch VBA in CorelDRAWr 10

Article ID: 206271
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When the CorelDRAW 10 suite is installed with VBA on WinNT4/Windows 2000 as Administrator or on a multi-user Windows 9X/Windows ME platform, VBA will not be initialized for any other user except for the administrator or the user who installed the application.t

It is very important to make a backup of your Windows registry prior to proceeding with the following instructions. If you are unfamiliar with backing up the registry or registry editing in general, it is strongly recommended that your system administrator make the following changes. The importance of adhering to recommended recovery precautions as listed cannot be overstated. The Corel Corporation assumes no expressed or implied liability for any computer or software damages resulting from the use or misuse of this information.

The workaround to get VBA working for all users:

1. Log on as the Administrator (or as the user who installed CorelDRAW 10)

2. Click Start, Run

3. Type regedit and click OK

4. Browse to the following registry location: HKEY_CURRENT_USER, SOFTWARE, COREL, CorelDRAW, 10.0

5. With the 10.0 key highlighted, select the REGISTRY menu and choose EXPORT REGISTRY FILE

6. Select a path to save the exported registry file that will be accessible to all users

7. Browse to the following registry location: HKEY_CURRENT_USER, SOFTWARE, COREL, PHOTO-PAINT, 10.0

8. When the 10.0 key highlighted, select the REGISTRY menu and choose EXPORT REGISTRY FILE

9. Select a path to save the exported registry file that will be accessible to all users

10. Logoff the workstation

11. Logon as one of the users

12. Go to the path where the exported registry files were saved and double click each one

13. Select YES to add to the registry

14. Repeat the last three steps (11-13) for each usere

NOTE: As an alternative, you can try the following:

1. Login as a user who's unable to initialize VBA.

2. Locate VBA6.msi on CorelDRAW 10 CD # 1.

3. Right-click the file and choose the 'install' option.

4. Try running VBA to determine if the problems persist.

VBA IS NOT INCLUDED WITH THE ACADEMIC VERSION OF CorelDRAW 10.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Workspace not Maintaining Customization when CorelDRAWr 10 is Re-Launched

Article ID: 206383
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

Custom toolbars, buttons and custom palettes may not have been maintained after having closed and re-launched CorelDRAW 10.

This issue has been corrected in CorelDRAW 10 Service Pack 1.n

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

CorelDRAWr 10 Crashes when Opening/Closing Dockers

Article ID: 206384
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

CorelDRAW 10 Crashes in a .DRV module when Opening/Closing Dockers.l

Certain video drivers are known to cause CorelDRAW 10 to crash when dockers are manipulated. To correct this, perform do one of the following:

1. Update your video driver

2. Reduce the hardware acceleration for your video card (Win 98/ME and 2000 only)

Earlier Nvidia drivers were known to cause this problem. They were later corrected in newer releases.c

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Memory Errors when Adding Bitmap Effects to Toolbars

Article ID: 206386
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

Customize Bitmap Effects by adding functions to the command bar may result in memory handle errors.

This issue was corrected in CorelDRAW 10 Service Pack 1.

http://www.corel.com/support/ftpsite/pub/coreldraw/draw10suite

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Outline Properties not Being Maintained

Article ID: 206387
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

Changing outline values using the Outline Property box or through the Properties Docker are not being maintained. They revert to previous values.

Tis issue was fixed in CorelDRAW 10 Service Pack 1.

http://www.corel.com/support/ftpsite/pub/coreldraw/draw10suite

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Undo Stops Functioning in CorelDRAWr 10.

Article ID: 206401
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

The undo function in CorelDRAW 10 no longer works (greyed out).Ì

If Enable Rollover is enabled in CorelDRAW 10, the undo function will not be available. To correct this, click the VIEW menu and remove the check from 'Enable Rollover'.

This issue has fixed in CorelDRAW 10 Service Pack 2.

http://www.corel.com/support/ftpsite/pub/coreldraw/draw10suite/index.htm

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Error 1310 When Installing CorelDRAWr 10 on Windows NT

Article ID: 206409
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When installing CorelDRAW 10 on Windows NT, multiple instances of "Error 1310" can occur.

To correct this, do one of the following:

1. Select Ignore to each of these messages, then before restarting the computer, re-apply the last service pack for NT.

2. Keep track of the files and destinations the installer is unable to copy, then manually copy the files from the CorelDRAW 10 CD # 1 to locations specified during the install.

To find out which service pack is installed on NT, click Start, Run, type 'winver' (without quotes) and click OK.h

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

C.A.R.M. When Opening CDR Files in CorelDRAWr10

Article ID: 206410
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When opening CDR files, the Corel Application Recovery Manager (CARM) may appear, stating that the application has become unstable.c

Download and install the latest driver for your Printer. If you have a printer capable of both PCL and PostScript printing, download the PostScript driver and set it as the Windows default printer (Start, Settings, Printers). This problem often occurs when using (but not limited to) HP 4000 or 5000 series printers with the PCL driver set as default.l

Another alternative is to try importing your CDR file into a blank document to determine if any text and graphic styles have become corrupt.t

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Application Error When Closing CorelDRAWr 10 on Windows NT

Article ID: 206411
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

Approximatly 10-15 seconds after closing CorelDRAW10 an error appears stating CorelDrw. exe application Error

The instance 0X77FCA66F reference memory at 0X03930690. The memory could not be written.

Overwrite the current workspace with the factory default. Hold the F8 key and relaunch the application. Hold the F8 until a message appears stating "Are you sure you want to overwrite the current workspace with the factory defaults?" Click Yes to this message and release the F8 key.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Search

MY ACCOUNT VIEW CART

Knowledge Base

Search Form

Text will not Change In Child Clone When Parent is Changes in CoreDRAWr 10

Article ID: 206412
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

In CorelDRAW 10, the child clones do not change when the parent clone is modified. If the text is edited on-screen it will break the link between the two objects.T

Follow this procedure to resolve this issue.

1. Create artistic text in the workspace.

2. Click the edit menu and select clone to clone the text.

3. To change the text in all the clones, select the parent object with the pick tool. Click on TEXT from the Menu bar and select EDIT TEXT. Make modifications to the text and click OK. The text will now change in the child clones.o

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Barcodes Display on all Plates when Printing Separations

Article ID: 206413
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When printing separations for a document that contains a barcode, the barcode will appear on all plates.

To correct this, perform the following:

1. Search the harddrive for a file called color.ini (X:\Program Files\Corel\Graphics\Config)

2. Open the file in Notepad.

3. Find the line

GrayConvertsToCMYK_K=0 and change the value from 0 to 1

4. Save changes and close the file.

The barcode will now appear on the black plate only.e

The barcode wizard creates OLE objects that are imported into CorelDRAW 10 as RGB.e

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Targa Bitmaps (TGA) Exports in Enhanced Mode Even Though Normal is Selected

Article ID: 206414
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

This issue relates to the targa bitmap export for CorelDRAW versions 8, 9 and 10. Files exported in normal mode are still saved in enhanced mode. Follow these steps to resolve the issue when saving files of this type

1. Click File-Export. Select TGA - Targa Bitmap from the Files of Type drop-down menu. Click Export and the Bitmap Export dialog will appear.

2. Deselect Transparent Background. This feature is not supported when exporting to normal mode. Click OK.

3. In the TGA Export dialog, select Normal for the File Format.

4. The file will now be saved in Normal Mode

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

''Save As'' Dialog Box is Displayed in German

Article ID: 206419
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When saving files for the first time, the text in the 'save as' dialog box is displayed in German.

Rename mfc42loc.dll to Mfc42loc.old.

Documented in Microsoft's knowledgebase article Q249592a

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

CorelDRAWr 10 Caused an Invalid Page Fault in Module cdrrip100.dll

Article ID: 206423
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

CorelDRAW 10 fails to launch and generates the following error:

"CorelDRAW 10 has caused an Invalid Page Fault in module cdrrip100.dll

Set a postscript printer driver as the windows default printer. If no postscript printer is installed, try installing a level one postscript device such as the Apple Laser Writer Pro 630 from the windows CD and set it as default.

Problem exists with various PCL driver that are set as default.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Changing File Associations in Windows

Article ID: 206424
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

After the installation of a new application all the graphics files (ie. jpg, tif, gif, bmp) are associated with the new application.l

1. Click Start, Find, Files or Folders (or Start, Search, for files or folders). Type in *.jpg or the desired file extension (ie. bmp, tif, gif, etc..)that needs to be changed.

2. In the search results single click a file, then hold the shift key and right-click the same file.

3. Choose 'Open With' from the menu that appears.

4. Select the application that you'd like to open this file type (ie. Internet Explorer, Microsoft Paint, etc)

5. Place a check in the box beside 'Always use this program to open these files'. Click OK.

Now all files of that extension will open with that application.e

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Viewing in Wireframe or Editing a Barcode in CorelDRAW 10

Article ID: 206432
Revision Date: July 14, 2002

The information in this document applies to:
CorelDRAW (TM) 10

In CorelDRAW 10, a barcode is inserted as an OLE Object, which cannot be edited once created and will not display in wireframe view. To create a barcode that can be modified (ie. ungrouping the lines or changing the color) follow these steps.h

1. Click on Start | Programs | CorelDRAW 10 | Productivity Tools and select the Corel BARCODE WIZARD.

2. Follow the steps to create the barcode. Once completed, choose Yes when prompted to copy the barcode to the clipboard.

3. In your document, select Edit | Paste Special. The Paste Special dialog will appear. Select Paste and choose Picture (Metafile). Click OK and the barcode will appear in the document.

4. The barcode can now be ungrouped from the Arrange menu. It is also viewable in wireframe and can have the lines and colors modified.a

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Service Pack 1 will not Install if a Beta Version of SP1 was Previously Installed

Article ID: 206437
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

Applies to users with Draw 10.425 (beta SP1applied). When applying Service Pack 1, errors appear pertaining to certain files not being the right version and the installation aborts.r

1. Uninstall CorelDRAW 10

2. Reboot

3. Search for the following three files and rename them:

sccomp100.dll

sccres100.dll

Scint100.dll

4. Reinstall CorelDRAW 10

5. Reboot

6. Install SP1s

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Service Pack 1 will not Apply if Trial Version of CorelDRAW 10 was Previously Installed

Article ID: 206438
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

Service Pack 1 will not Apply if Trial Version of CorelDRAW 10 was Previously Installed.

To correct this issue, delete the following two files

\Windows\VBox\Licenses\CorelDRAW10_10_4DDB.lic

and

\Windows\VBox\Installers\Corel_CorelDRAW10_10.1_en-us

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Search

MY ACCOUNT VIEW CART

Knowledge Base

Search Form

Treating Objects as Filled while in Wireframe View

Article ID: 206440
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

While working in Wireframe view, no items can be selected without verifying the pick tool is on the outline before selecting.w

Click Tools,Options click the + beside Toolbox and click on Pick Tool. Put a check in "Treat all objects as filled".e

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Unexpected Condition 5002 (1782 or 1670)

Article ID: 206446
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

After the installation of Service Pack One, the creation of a new document or the selecting of an object in an existing file results in an unexpected condition 5002.r

Reset the workspace back to the factory defaults. Close the application. Hold the F8 key and relaunch the application. Hold the F8 key until a message appears saying "Are you sure you want to overwrite the current workspace with the factory defaults?" Click Yes to this message and release the F8 key. If the same error appears

check the number of installed fonts and number of temp files.

To check fonts, click Start, Settings, Control Panel. Double click Fonts. In the bottom left hand corner it will state how many fonts are installed. Windows 95, 98, and ME have approximately a 500 font limit. If the number of installed fonts is greater then 500 there may be some corruption. Check for individual font corruption by clicking on the View menu and Details. Click on the word "SIZE" at the top of the third column. This will sort the fonts by size. If any font has a size of 0Kb then it is corrupt and should be removed.

To check for temp files, Click Start, Find, Files or Folders (or Start, Search, for Files or Folders). Type in *.tmp and change the lookin to My Computer or Local Disks. Click Find Now. Delete all the files it finds.r

Unexpected Conditions can be caused by corruption in the workspace, excessive fonts or temp files.e

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Changing the View of an Object from Normal/Enhanced to Wireframe in CorelDRAWr 10

Article ID: 206447
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When editing an image, there are times when an object needs to be placed in an exact position. However, if the object is filled, it may be difficult to accomplish this. There is a way to change the view of an object.

With the pick tool selected, click on the object with the mouse and hit the Tab key on the keyboard. The view will change from normal to wireframe. This will make it easier to place objects in the exact location on the image.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Toolbar(s), Menubar(s) or Color Palettes are Missing

Article ID: 206449
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

The toolbar(s), menubar(s) or color palettes are missing when opening the program.s

Set the program back to the factory default settings. Close the program, hold the F8 key and reopen the application. Hold the F8 until a message appears saying, "Are you sure you want to overwrite the current workspace with the factory defaults?"

Press yes and let go of the F8 key. If the message doesn't appear, the F8 key wasn't held down long enough.k

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Creating Customer Registration Marks in CorelDRAWr 10

Article ID: 206462
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When printing in DRAW 10, the default registration marks may not be the correct size or may not be in the correct format. There is the option to create custom registration marks that will appear on all color plates when printing separations.

Follow these steps to create custom registration marks:a

1. Create an object that will serve as the registration mark (ie. a circle with an x through it).

2. Group the object together by selecting all the components and choosing Arrange-Group. Now select the grouped object.

3. Select the Outline Pen Dialog by pressing F12 or by selecting it by holding down on the Outline Tool flyout in the Toolbox. Set the desired width and line style. Select Other from Color button. The Select Color window will appear. Choose Registration Color from the Model drop-down list. Click OK till and OK. The registration mark will now appear on all plates.G

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Kodak Color Management Errors when Launching CorelDRAWr 10

Article ID: 206463
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When launching CorelDRAW 10, the following error messages appear:

1. The Kodak Color Management System could not be initialized. Color Management functions will be disabled.

2. A necessary profile could not be loaded. Please reinstall the

application to repair this problem.

3. Texture file CORELDRW.TXR could not be found.

4. CdrCpr100.dll could not be found in the programs directory. (this error will occur twice)

DRAW 10 will launch at this point, however, when creating a new document the following will occur:

1. Unexpected condition encountered Condition #5000-DRAWDOC2-0395

2. Failed to create new document (this error will occur twice)

If you try to open a document in CorelDRAW you will get the following:

1. There are no import filters available.

Place CorelDRAW 10 CD#1 in the CD-ROM and search the disk for "corelapp.ini" (without quotes). The file is found in Corel\Graphics10\Config.

Copy this file from the CD and paste into the Config directory (X:\Program Files\Corel \Graphics10\Config) on the hard drive which contains the CorelDRAW application.

Relaunch CorelDRAW.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Text Automatically Switches to English(US) when Typing Foreign Language Text in CorelDRAWr 10

Article ID: 206464
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When a language other than English(US) is selected as default in thye Input Locale under the Windows Regional Options, CorelDRAW 10 automatically reverts back to English when clicking on the document after selecting the Text tool.>

To resolve this issue, follow the following procedure.

1. Ensure that the default language is selected correctly in Windows Regional Options.

2. Open CorelDRAW 10, select Tools-Options. On the left hand side of the screen, click on the word Text within the Workspace expandable menu. On the right hand side of the screen, remove the checkmark from Auto-Keyboard Switching. Click OK to close the Options Window.

This was a multi-lingual feature built into CorelDRAW 10.(

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Creating Transparencies in Animated GIFS with PhotoPAINT10

Article ID: 206467
Revision Date: June 20, 2001

The information in this document applies to:
CorelDRAW (TM) 10

Animated Gif files created in PhotoPAINT or RAVE can have transparent backgrounds. To do this, follow the procedure listed below.g

1. Create or Open the animated GIF in Corel PhotoPAINT 10.

2. Select File, Export. The Export an Image to Disk dialog will appear. Select GIF - CompuServe Bitmap from the Files of Type. Click Save. The GIF89 Animation options will appear.

3. To create a transparency, select the Frame Settings tab. Select a frame on the left hand side and select Image Color on the right. Click on Select Color. Choose the color that should be transparent using the Eyedropper tool and click OK. Click on Apply All. THIS MUST BE DONE FOR ALL FRAMES TO HAVE THE TRANSPARENCY WORK CORRECTLY. THE TRANSPARENT COLOR MUST BE THE SAME IN ALL FRAMES. Once done click OK. Do not open the GIF back into PHOTO-PAINT, it will not display the transparency and the GIF will lose the transparency if saved. This file may be viewied in a Web Browser or HTML editor.o

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Cannot Apply Bitmap Effects After Having Installed Service Pack 1

Article ID: 206473
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

After installing Service Pack One and trying to apply bitmap effects in CorelDRAW or PHOTO-PAINT 10, the following error occurs:

"Crlfx100 cannot create effect component."

1. Download SP1

2. Uninstall CorelDRAW 10

3. Go into Windows Explorer and make sure the Graphics 10 folder is gone. If not delete it.

4. Re-install CorelDRAW 10 (DO NOT LAUNCH)

5. Reboot into Safe Mode

6. Install SP1

7. Reboot into normal windows.s

This is caused by having Norton Anti-Virus or System Works resident in memory during the installation of Service Pack 1. Safe Mode prevents Norton from loading.A

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

''Setup Did not Complete'' Error Message when Attempting to Install CorelDRAWr 10

Article ID: 206480
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When installing CorelDRAW 10, the following error may occur:

"Setup did not complete, you must try again."n

To correct this, try the following:

1. Uninstall the Trial version of CorelDRAW 10 from the system using the Add/Remove Programs icon in the Control Panel.

2. Go into the Windows Explorer and ensure that all the files from the Trial version of Draw 10 are gone (specifically the 'Graphics10' folder).

3. Reboot.

4. Install the full version of CorelDRAW 10.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Changing Default Artistic Text in CorelDRAWr 10

Article ID: 206493
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

This document explains how to change the default Artistic text font for new CorelDRAW documents..

1. From the Tools menu in CorelDRAW 10, select Options.

2. Click the + sign beside Document and highlight Styles

3. To the right of Styles, highlight 'Default Artistic Text'

4. Click the Edit button

5. Select the desired font style from the drop down list and click OK

6. From the left side of the dialog box highlight 'Document'

7. Place a check in 'Save options as defaults for new document', making sure 'Styles' is checked

8. Click OK.

All new documents will use this font as default Artistic Text.i

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Line not Found in Registry when Launching Corel Texture and/or Corel Texture Batcher

Article ID: 206501
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When trying to launch the sub-applications Corel Texture and/or Corel Texture Batcher, an error appears stating "Line not Found in Registry" or "Goodies not Found", when logged in as a member of the "User" group in WinNT/2000.h

Follow these steps in order to launch the applications successfully.

1. Login as administrator.

2. Run Regedit

3. Browse to HKEY_CURRENT_USER\Software\Corel

4. Export the following keys to the root of C:

- Corel Texture

- Texture Batcher

5. Log off Administrator and login as a user.

6. Execute the two exported reg keys by double-clicking hte files.d

NOTE: Every user who's a member of the 'User' group will need to double click the reg files in order to run the applications.o

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Error When Attempting to Launch Corel Texture

Article ID: 206508
Revision Date: July 03, 2001

The information in this document applies to:
CorelDRAW (TM) 10

When attempting to launch Corel Texture user receives error - "Entries Missing in System Registry" or "Goodies not found"r

1. Login as administrator.

2. From the Start menu, choose Run

3. Type in Regedit

4. Browse to HKEY_CURRENT_USER\Software\Corel

4. Export the following keys to the root of C:\

- Corel Texture

- Texture Batcher

To do this, simply choose Export Registry file from the Registry menu.

5. Log off Administrator and login as a user.

6. Execute the two exported reg keys by double clicking thema

NOTE: Every user who's a member of the 'User' group will need to double click the reg files in order to run the application.e

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Accessing Clipart Copied to the Network Through the Scrapbook

Article ID: 206509
Revision Date: March 19, 2002

The information in this document applies to:
CorelDRAW (TM) 10

Clipart images on a network location cannot be accessed through the initial screen of the scrapbook.:

NOTE: This requires editing the registry so follow these instruction very carefully. If you're unsure about how to edit registry settings, it is highly recommended you seek assistance before following these instructions.

1. The volume label on the drive that is shared out MUST begin with the word "Clipart". (i.e. ClipartNet, Clipart1, Clipart2, etc.)

2. On the local system, map a drive letter to the network share (i.e. X:\).

3. Copy the contents of the clipart CD to the mapped network share.

4. On the local system, run REGEDIT.

5. Browse to the HKEY_LOCAL_MACHINE\Software\COREL\Media.6. Highlight the 'Media' folder.

7. Click on Edit, New, Key.

8. Type a name for the key (i.e. ClipartNet)

9. With the new key (i.e. ClipartNet) highlighted, click on Edit, New, String Value.

10. Type "Path" for the name of the String Value.

11. Double-click on the String Value and enter the mapped drive letter for the local system. (see step 2)

12. Click on Edit, New, String Value.

13. Type "VolumeLabel" for the name of this String Value.

14. Double-click on the String Value and enter the volume label from Step #1. (i.e. ClipartNet)

15. Click Edit, New, DWORD Value.

16. Type "Type" for the DWORD Value.

17. Double-click on the DWORD Value and enter a value of 3.

18. Close REGEDIT.

NOTE: This will need to be done for each workstation. If all operating systems are the same, export the newly created reg key and execute it on each workstation. Just make sure that when the drives are mapped to the clipart share that each computer assigns the map to the

same drive letter. Otherwise the drive letter will require changing, as per instruction # 2 , 11. Once this is done, a new icon will be visible in the scrapbook which is 'live' (it won't be greyed out).n

Unfortunately, the search index is hard coded into the application and will prevent you from pointing the search to the network share. There is a utility you can download called ROMCat. It provides advanced functionality over the search features in CorelDRAW 10. Furthermore, it's freeware. It will create a catalog of all the clipart/photos on the network share and allow the same functionality of the search engine in CorelDRAW, while also allowing you to generate thumbnail previews of all the images shared over the network.

link:http://www.unleash.com/articles/romcat/

When downloading the utility, make sure you choose the 'Download

ROMCat 4.2 Software' and not the prebuilt library for D10 (as you'll have to create the library and point to the network share).

NOTE: ROMCat isn't officially supported by Corel.e

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter

Copyright © 2003 Corel Corporation. All Rights Reserved.

''No Writing Tools Installed'' Message when Running Spell Check

Article ID: 206523
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

After clicking the Text menu and selecting Writing Tools, an error may appear stating that 'No Writing Tools have been Installed'.o

1. Click on Start, Programs, CorelDRAW 10, Setup and Notes, Corel Uninstaller. 2. Choose writing tools below CorelDRAW 10.

3. Click Next and continue through the uninstaller. After the uninstallation is complete reboot the computer.

4. After rebooting verify that the x:\Program Files\Corel\Shared directory is gone. If it is not gone this may mean that another Corel program has installed writing tools and they may need to be uninstalled.

5. If it is gone then put your CD#1 in and start the installation. Choose Add Components.

6. Click Next past the screen showing Main Applications. On the next screen choose English and change the default language to English.

7. Continue through the installation. 8. After the installation launch DRAW and see if the writing tools work.C

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

''Internal Error 2711, Bitstream Font Navigator'' when Installing CorelDRAWr 10

Article ID: 206534
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When trying to install CorelDRAW 10, the setup does not complete and generates the following error:

'Internal Error 2711' with reference to Bitstream Font Navigator. This usually occurs when one has had the trial version installed on the system.

1. Click Start, Settings, Control Panel.

2. Double click Add/Remove Programs.

3. Select CorelDRAW_TV or Corel Applications.

4. Uninstall CorelDRAW 10.

5. Search for the file "CorelDRAW 10_TV.msi".

6. Right-click on the file and choose the option to uninstall (If this file is not available, simply do a search for *.msi. This will return all msi files. Right click each and click Properties to determine which one relates to the trial version of CorelDRAW 10).

7. Once found, right-click and choose Uninstall.

Once you've completed this, try re-installing the retail version of CorelDRAW 10.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

''Configdir not Found in Registry'' when Launching CorelDRAWr 10

Article ID: 206556
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When launching CorelDRAW 10, an error appears stating "configdir not found in registry". This prevents CorelDRAW from launching.

It is very important to make a backup of your Windows registry prior to proceeding with the following instructions. If you are unfamiliar with backing up the registry or registry editing in general, it is strongly recommended that your system administrator make the following changes. The importance of adhering to recommended recovery precautions as listed cannot be overstated. The Corel Corporation assumes no expressed or implied liability for any computer or software damages resulting from the use or misuse of this information.

1. Click Start - Run

2. Type Regedit and hit the Enter key

3. Go to HKEY_LOCAL_MACHINE\Software\Corel\CorelDRAW\10.0

4. Verify there is an entry called ConfigDir

5a. If this entry exists, rightclick it and choose Modify. Verify the path is the installation path (ie. c:\Programs Files\Corel\Graphics 10\Config)

5b. If this entry does not exist, right click on the right hand side and choose New String Value

7. Rename it ConfigDir and hit Enter

8. Right click the new string and choose modify

9. Enter the correct installation path in the Value Data field (ie. C:\Program Files\Corel \Graphics10\Config)

9. Click OK to close the Edit String window and click Registry, Exit

10. Relaunch CorelDRAW.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Converting Scripts from Previous Version for Use in CorelDRAWr 10

Article ID: 206584
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

Scripts created in previous versions of CorelDRAW will not run in CorelDRAW 10.g

Draw 10 now uses VBA and one way to convert scripts from Draw 9 to Draw 10 VBA is to change the lines - WithObject "CorelDRAW.Automation.9" to WithObject "CorelDRAW. Automation.10"

-and to upgrade to VBA- Wherever you see With Object "CorelDRAW.Automation.9" change it to With CorelScript and change the End WithObject line to End With.

- Or to rewrite the Script using the VBA editor. This choice being the best and most effecient.

To convert Corel Scripts written in previous versions use cscconv.exet

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Location of Shared Folder is Greyed Out when Installing CorelDRAWr 10

Article ID: 206586
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

Location of shared folder is greyed out when installing CorelDRAW 10.L

A previous Corel product was installed to a drive letter that since then has been removed and replaced by a CDROM or CDRW drive.

All Corel applications must be uninstalled and the system then rebooted. When reinstalling the Corel applications, the option to choose a different shared folder will be made available.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Monotone Bitmap will not Print when Printing Separations

Article ID: 206620
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

After having converted a bitmap to Monotone, the image does not show up when printing separations.

The image must be converted to a bitmap without a transparent background. The transparent background is what is preventing the image from appearing on a separations plate.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Cannot Install Corel Graphic Suite 10 on the OSX Partition of a Dual Boot System

Article ID: 206724
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When installing Corel Graphic Suite 10 on an OSX partition of a dual boot system, various errors will appear.

To resolve this issue, do the following:

1. Reboot to another partion (ie. OS 9.2 or lower), and install Corel Graphic Suite 10.

2. Reboot into OS X, and the Graphic Suite will be fully through the other partition.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Corel Graphic Suite 10 Crashes on OS 9.2 or Below

Article ID: 206726
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

With virtual memory turned off, Corel Graphic Suite 10 on Mac OS 9.2 or lower keeps crashing.v

Virtual memory must be on for all OS 9.2 or lower systems that run Corel Graphic Suite 10.

To trun virtual memory on, do the following:

1. Go the Apple Menu, click on Control Menu, click on Memory.

2. In the Memory box, click to turn on Virtual Memory.a

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Resetting the Defaults in Corel Graphic Suite 10

Article ID: 206727
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

Sometimes it is necessary to go back to the default workspace as a result of corruption. Missing menus, toolbars and custom settings may disappear and require that the application be reset to factory default.

To reset the workspace in Corel Graphic Suite 10, do the following:

1. Launch Corel Graphic Suite 10 and immediately press and hold the SHIFT key

2. A message will appear prompting to overright the current workspace with the factory defaults

3. Release the SHIFT key and click Yesd

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Search

MY ACCOUNT VIEW CART

Knowledge Base

Search Form

Dimension Tool Properties not Displaying Correctly

Article ID: 206756
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When using the dimension tool in CorelDRAW 10, the property bar will only displays the X and Y parameters but omits the angle (degree) value.

All of the dimension tool properties will display correctly if you change your monitor resolution from 800x600 to 1024x768.l

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Cannot Launch CorelDRAWr 10 after Installing Service Pack 2

Article ID: 206800
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

After installing service pack 2, the following files may have been truncated:

CorelDRW100.dll to CORELD~1.dll

cdrfnt100.dll to CDRFNT~1.dll.

This will prevent the launch of CorelDRAW 10, PHOTO-PAINT 10 and R.A.V.E. 1.0.

This may occur as a result of Norton Utilities being resident in memory during the installation of service pack 2.

To correct this issue, rename the following files in the programs directory (x:\program files \corel\graphics10\programs)

CORELD~1.dll to CorelDRW100.dll

CDRFNT~1.dll to cdrfnt100.dllR

In addition to the two previously mentioned files, you may also see CORELD~2.dll and CDRFNT~2.dll. If this is the case, rename the first two (~1) and attempt to re-launch the application. If this fails, rename the next two (~2) and again attempt to launch CorelDRAW 10.i

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Log File Cannot be Created During Setup

Article ID: 206806
Revision Date: March 08, 2002

The information in this document applies to:
CorelDRAW (TM) 10

After running the setup for CorelDRAW 10, the following error occurs:

'Log file cannot be created'

The setup then aborts.e

The setup routine is attempting to write to a folder called Corel in the Windows directory. If a Corel folder already exists or has become corrupt, it may prevent the install from continuing. To correct this, simply rename the folder to 'Corelold'.o

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

''Invalid Directory Specified in corelapp.ini'' when Launching CorelDRAWr 10/9 on Windows 2000

Article ID: 206825
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

'Invalid directory specified in corelapp.ini' occurs when launching CorelDRAW 9 or 10 on Windows 2000. This occurs as a result of user permissions on NTFS formatted systems. Typically, this problem will occur when trying to run CorelDRAW 9 or 10 as a member of the 'user' group.

There are two solutions to corect this problem.

1. Make the user a member of the 'Power User' group (for information on how to change group membership, contact Microsoft).

2. Give the user group 'full' access to the graphics10 folder (X:\Program files\corel \graphics10) Replace 10 with 9 if running CorelDRAW 9.c

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

''Cannot Create Effect Component'' Message when Accessing Bitmap Effects in CorelDRAWr 10 / PHOTO-PAINTr 10

Article ID: 206826
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

'Cannot Create Effect Component' when accessing bitmap effects after having installed CorelDRAW 10 Service Pack 1. This may occur as a result of having TSR's loaded into memory which had conflicted with the installation process (Anti-Virus software, program utilities etc.)

To correct this issue, do the following:

1. Uninstall CorelDRAW 10 Graphic Suite.

2. Reboot your computer.

3. Reinstall the application.

4. Reboot into Safe Mode.

5. Install Service Pack 1 in Safe Mode.

6. Reboot into Windows.i

Alternatively, you can turn off all background processes prior to installing Service Pack 1 rather than booting into Safe Mode. Safe Mode simply insures that all unnecessary processes which may interfere with the installation routine are no longer running.m

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

CorelDRAWr 10 Slows After Editing Text

Article ID: 206827
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

Performance of CorelDRAW 10 deteriorates as a result of working with text. Symptoms include the following:

- Application menus do not respond immediately.

- Various text editing problems.

- Frequent system crashes when editing text.

Corel has fixed this issue in Service Pack 2 for CorelDRAW 10. To download this fix, please visit the following URL:

http://www.corel.com/support/ftpsite/pub/coreldraw/draw10suite/index.htm

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Deploying CorelDRAWr 10 over a Network

Article ID: 206829
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

CorelDRAW 10 can be deployed over a network.n

For information on how to deploy CorelDRAW 10 over a network, please contact Corel Technical Services at (613) 274-0500.e

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Lenses do not Print Correctly to Certain Non-Postscript Devices

Article ID: 206830
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

Applying a lens effect to an object in CorelDRAW 10 does not output correctly, even though it appears correctly in print preview.w

This is an issue with printing lens effects from print preview with certain print drivers. To resolve this, close print preview prior to printing.r

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Opening Adober Illustratorr Files which Contain Pantone Colors

Article ID: 206867
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When opening Illustrator images that contain Pantone colors in CorelDRAW v. 9 or 10, the properties of the Pantone colors display as Pantone Matching System - Corel 8. The palette should display Pantone Matching System - Coated..

Open the CDR file in Notepad. Click on Edit and select Replace. In the Find What dialog type CV, in the Replace With feild type CVC. Save and close the file. Now when the file is opened in CorelDRAW 10, the Pantone properties will display as the Pantone Matching System - Coated.f

The CorelDRAW 8 pantone palette is the same as the Pantone Matching System Coated palette, the only difference the the "C" missing at the end of the Pantone name.w

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

CorelDRAWr 10 will not Launch when Logged in as a Member of the ''Users'' Group

Article ID: 206870
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

After CorelDRAW 10 has been installed on Windows 2000/XP, launching it while logged on as a member of the 'Users' group on NTFS formatted systems generates a grey box with a red "X" and an "OK" button.0

To resolve this issue, you must first download & install Service Pack 1 which is available from http://www.corel.com/support/ftpsite/pub/coreldraw/draw10suite/index.htm. After you've installed Service Pack 1, open the corelapp.ini file (by default it is located in X:\Program Files \Corel\Graphics10\Config). Below the last line in the document, enter the following (NOTE: this is case-sensitive):

[Bitmap Tile Manager]

UseRootForSwap=0

Save the corelapp.ini file and CorelDRAW 10 (and its components should launch normally when logged onto your system as a User.u

This occurs as a result of temp files being created on the root of the drive which contains the 'WinNT' folder when launching CorelDRAW 10. If the 'users' group does not have write access to this drive, CorelDRAW will fail to open.

The solution provided above ensures that CorelDRAW creates these temp files to the Windows \Temp folder.c

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

CorelDRAWr 10 Creates Temp Files on the Root of the Drive which Contains the Windows Partition when Launched

Article ID: 206871
Revision Date: March 13, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When launching CorelDRAW 10, temp files are created on the root of the drive which contains the Windows partition. This will result in an error if the user does not have write access to the root of this drive on NTFS formatted systems.

To correct this issue, please refer to Corel Knowledge Base article 206870.e

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

''Server Busy'' When Trying to Edit Bitmap Within CorelDRAW

Article ID: 206886
Revision Date: March 12, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When using the 'Edit Bitmap' feature within CorelDRAW 10, a "Server Busy" error is generated when Corel PHOTO-PAINT attempts to open.w

To correct this problem, perform the following:

1. Search your system for coreldraw.ini.

2. Open the file and locate the following line:

AppResponseTimeout=15000

3. Change this line to read AppResponseTimeout=30000

4. Save the file

You should now be able to edit bitmaps from CorelDRAW without receiving the "Server Busy" error. If not, try increasing this value to 45000 or 60000.r

NOTE: The location of coreldraw.ini will vary.

Windows 98/ME:

X:\Program Files\Corel\Graphics10\Workspace\CorelDRAW10\

Windows NT/2000/XP:

X:\Documents and Settings revorbu\Application Data\Corel\CorelDRAW10\

Furthermore, you will likely find a number of coreldraw.ini files. Choose the one which corresponds to the current workspace in CorelDRAW 10. To determine which workspace is set as current, open CorelDRAW 10 and choose Tools, Options and highlight Workspace.c

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

How to Disable the Automatic Capitalization of Letters

Article ID: 206889
Revision Date: March 28, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When typing artistic or paragraph text, the first letter of the first word on screen is automatically capitalized. Change the case defaults back to capital.

In CorelDRAW, click on Tools, Options. Expand the Text menu and select QuickCorrect. Remove the check from Capitalize first letter of sentences. Click OK.l

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Unable to Add Office Compatibility Entries to Registry

Article ID: 206892
Revision Date: April 23, 2003

The information in this document applies to:
CorelDRAW (TM) 10

When launching CorelDRAW, the error "Unable to add Office compatibility entries to registry" displays.f

On the desktop in Windows, click Start, Programs, CorelDRAW 10 and highlight the shortcut to CorelDRAW 10 . Right click on this shortcut and select Properties. Chose the Shortcut tab. The Target dialog should display as follows:

"x:\Program Files\Graphics10\Programs\coreldrw.exe" /NOVBA

Click Apply and then OK.i

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Unable to Preview Thumbnails on a Network Drive

Article ID: 206895
Revision Date: April 26, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When browsing a network drive, CorelDRAW icons appear as balloons rather than thumbnail previews. Thumbnails display correctly when browsing locally.

1. Locate the corelapp.ini file for CorelDRAW 10 (the default location is Program Files\Corel \Graphics10\Config)

2. Open corelapp.ini in Notepad and locate the following section:

[Icon Handler]NoThumbnailsForNetworkedFiles=1

3. Change the 1 to 0

4. Save changes and restart the computer.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

PDF Files Generated in CorelDRAWr 10 crash Adober Acrobatr when Viewing over the Internet

Article ID: 206902
Revision Date: March 25, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When scrolling beyond the first page in PDF files generated in CorelDRAW 10 which have been uploaded to a web server, Adobe Acrobat hangs or crashes trying to display page information for any page beyond page two.l

This will occur if the Optimize for Web is selected in the PDF options. To de-select this option, do the following:

1. Click File, Publish to PDF

2. Click the Settings button

3. Click the Advanced tab

4. Remove the check from Optimize for WebG

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Inserting Symbols Into Artistic and Paragraph Text in CorelDRAW r

Article ID: 206903
Revision Date: April 26, 2002

The information in this document applies to:
CorelDRAW (TM) 10

The article describes a simplified method of inserting symbols into artistic and paragraph text. c

1. Add artistic or paragraph text to a document in CorelDRAWr

2. While the Text Tool is still selected, open the Symbols Docker (Ctrl F11)

3. Double click the desired symbol in the Symbol and Special Character docker

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Tiff Bitmap Images Display Inverted when Imported opened in Windows Imaging

Article ID: 206907
Revision Date: April 26, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When opening a Tiff image that was exported from CorelDRAW 10 into Windows Imaging, the image appears inverted.u

This can be caused by the LZW compression when exporting from CorelDRAWr or Corel PHOTO-PAINTr. To prevent this from occuring, open the file in Corel PHOTO-PAINT, Once opened, export the file as an uncompressed TIff.M

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Unable to View JPG Files Exported From CorelDRAWr 10

Article ID: 206913
Revision Date: April 26, 2002

The information in this document applies to:
CorelDRAW (TM) 10

JPG files that are exported from CorelDRAWr 10 cannot be view or opened in other applications, such as Microsoft Internet Explorer. The images will open and import back into CorelDRAW correctly.i

The image was exported from CorelDRAW as CMYK Color (32-bit) JPG. Some applications do not support 32-bit CMYK JPG files.

Re-export the image from CorelDRAW as RGB (24bit) JPG rather than CMYK.e

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

How to Create a Pointed Star in CorelDRAWr

Article ID: 207177
Revision Date: April 26, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When creating a star shape in CorelDRAWr, the ends display as squared.O

1. Click on Tools, Options, and highlight Edit

2. Set the Miter Limit to 0 (zero). Click OK

In CorelDRAW, select the Polygon tool and change the Number of Points to 5 on the Property bar.

The points are no longer tapered on all newly created stars.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Troubleshooting errors in coreldrw100.dll when creating or opening files in CorelDRAWr 10

Article ID: 207244
Revision Date: April 26, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When creating or opening files in CorelDRAW 10r, an error may occur in module coreldrw100.dll, resulting in CorelDRAW being shut down.g

There are a number of potential issues which may cause this to occur. Outlined below are possible solutions to correct this problem.

1. Make sure the Windows default printer is installed and online. Certain print drivers may cause this problem to occur if set as the Windows default printer. To determine if the problem is printer related, install a generic PostScriptr printer driver (such as an Apple Laserwriter) and set it as the Windows default printer. If the error no longer occurs, reinstall the print driver or check the printer manufacturers website for an update.

2. Certain Pen Tablet drivers have been identified as causing this issue. To determine if the tablet driver is at fault, use the Windows Add/Remove icon in the Control Panel to uninstall the tablet driver. If the error no longer occurs, reinstall the tablet driver or check the manufacturers site for an update.

3. Try running CorelDRAW 10 in Windows Safe Mode to determine if the problem is a result of a variable of your Operating System. If the problem does not occur in Safe Mode, a conflict likely exists when loading Windows normally. Contact Microsoft for information on how to troubleshoot program conflicts.o

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Error in msjet35.dll When Launching CorelDRAWr 10

Article ID: 207245
Revision Date: April 26, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When launching CorelDRAWr 10, an error can occur in module msjet35.dll, resulting in the closure of the application.P

To correct this, perform the following:

1. Search the hard drive for msjet35.dll

2. Rename the extension from .dll to .bak

3. Restart the computer

NOTE: Renaming this file may cause other programs to not work correctly. Be sure that the file be renamed rather than deleting in the event the extension must be changed back to .dll. h

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Changing Units of CMYK Values to Percentages

Article ID: 207246
Revision Date: April 26, 2002

The information in this document applies to:
CorelDRAW (TM) 10

CMYK values are displayed on a scale of 0 to 255, rather than in percentages.

To correct this, perform the following:

1. Locate color.ini (X:\Program Files\Corel\Graphics10\Config by default)

2. Locate the following line:

CMYKDisplayPercent=0

3. change the value to 1 (one)

4. Save changes

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Search

MY ACCOUNT VIEW CART

Knowledge Base

Search Form

Dutone Bitmaps Disappear when Printing Separations

Article ID: 207251
Revision Date: May 08, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When checking Print Separations on the Separations Tab in the Print dialog box, the duotone bitmap disappears from the preview window and fails to print.

When creating the duotone, ensure that Transparent Background is not enabled. A duotone without a transparency will print and separate correctly.o

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Copying/Pasting a Vector Object from Adober Illustratorr 10 Pastes as a Low Resolution Bitmap in CorelDRAWr

Article ID: 207253
Revision Date: May 08, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When you copy a vector object from Adober Illustratorr 10 and paste it into CorelDRAWr, the object is pasted as a low resolution RGB bitmap.

Selecting Paste Special from the CorelDRAW edit menu, and pasting as a Picture (Enhanced Metafile) resolves the issue.r

NOTE: Color values will not be maintained. Objects paste with RGB values, even if CMYK of spot colors were used in Illustrator.n

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Extra Lines Appearing When Exporting as an Adobe Illustrator File (AI)

Article ID: 207335
Revision Date: May 12, 2003

The information in this document applies to:
CorelDRAW (TM) 10

When viewing an imported AI file, there are extra lines in the image. For example, export the letter "O" as an ai, then import it back into CorelDRAW, the "O" will display in Wireframe with a line through the top and bottom portion of the "O".

Converting to curves before exporting as an .AI will also cause the same lines to appear.T

Following are the steps to resolve this issue:

Once the image and/or text is ready, click File, Export. Select the AI-Adobe Illustrator file format, click Export.

The Adobe Illustrator Export dialog box will appear. Choose the required Compatibility, and the Destination.

If sending this file to others who may not have the fonts included in the file, choose to export text as curves. Uncheck all options except Include placed images and Include version 7 preview image, click OK. Now when this image is imported into CorelDRAW or Adobe Illustrator, the extra lines will not appear.o

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Internal Error 2336.5 C:/WINNT/Installer when Installing CorelDRAW r10

Article ID: 207336
Revision Date: July 02, 2002

The information in this document applies to:
CorelDRAW (TM) 10

The installation of CorelDRAWr 10 will get to 90efore an Internal Error 2336.5

X:/WINNT/Installer will occur. This may be caused by not having the appropriate permissions to the Installer folder located in the Windows directory.e

Follow these steps to resolve this issue:

Log on to the computer as Administrator or as a member of the Administrators group.

Start Windows Explorer and locate the drive X:\Winnt\Installer folder, where X is the drive on which Windows is installed.

NOTE : This folder may be hidden. If the \Winnt\Installer folder does not appear in Windows Explorer, follow these steps:

On the Tools menu, click Folder Options , and then click the View tab.

Under Advanced settings , click to select the Show hidden files and folders check box, and then click OK.

Grant appropriate access permissions for the Winnt\Installer folder for the following groups:

Administrators - Full Control

SYSTEM - Full Control

To do so:

Right-click the drive :\Winnt\Installer folder, and then click Properties.

Click the Sharing tab. Put a mark in front of Share this Folder, then click on Permissions.

In the Name list, click the appropriate user group or user name to which you want to assign permissions. For example, click Administrators .

Under Permissions , click to select the check box for the appropriate permission that you want to set, (for example, Full Control), and then click OK.

Restart the computer.

Install CorelDRAW 10.,

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

''Setup Did Not Complete'' When Installing CorelDRAWr 10

Article ID: 207341
Revision Date: August 15, 2002

The information in this document applies to:
CorelDRAW (TM) 10

"Setup Did Not Complete" message occurs when installing CorelDRAWr 10.O

1. Go to Start | Run | Regedit

2. Remove the following key from the Windows registry:

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Installer\Products
\9CED05E9B180F1446B7489BDAEB810DD

The key above includes Windows Installer information required for CorelDRAW 10 to install properly. Within that key, the program name string value is missing, and can not report to the Windows Installer where the CorelDRAW source files are located.

In case this does not work, it may be required to remove all references to 9CED05E9B180F1446B7489BDAEB810DD from the Windows registry.u

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Transparent PNG Exports Incorrectly

Article ID: 207366
Revision Date: August 11, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When exporting a bitmap as a PNG file with transparency, the transparent areas are rendered with a hard edge.a

This is a confirmed issue with the PNG filter in CorelDRAWr 10 and 11.n

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Search
MY ACCOUNT
VIEW CART

Knowledge Base

Search Form

Cannot Export Bitmaps Larger Than 10000 x 10000 Pixels

Article ID: 207372
Revision Date: August 11, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When exporting CorelDRAWr files as raster images, sizes beyond 10000 pixels cannot be selected.

The workaround to this is to convert your image to bitmap in CorelDRAW, right-click the converted file and choose 'Save Bitmap'. The file will save with the dimensions of the converted file.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Cannot Initialize VBA in CorelDRAWr 10

Article ID: 207373
Revision Date: August 11, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When trying to either run a script or to launch the editor, a message is displayed stating that VBA cannot initialize and to re-install.e

In order to correct this, locate vba6.msi on CorelDRAW CD#1, right-click the file and choose install.

NOTE: VBA was not included in the academic version of CorelDRAW 10.h

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Spot Colors Not Maintained When Copying Paragraph Text

Article ID: 207417
Revision Date: August 15, 2002

The information in this document applies to:
CorelDRAW (TM) 10

Paragraph text that contains a spot color fill will not maintain the spot color value if the text is copied to another Paragraph Text box. That is, the text that is copied will be assigned a CMYK value. The original Paragraph text will maintain its spot Color value.n

This is a known issue.

The easiest way to change the color of the copied text to a spot color is to use the Copy Properties From option in the Edit menu of CorelDRAW. This will allow you to copy the fill properties from your original text to the copied text.v

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Ticks/Divisions not Visible in Rulers

Article ID: 207437
Revision Date: August 11, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When working with CorelDRAWr, rulers do not display ticks/divisions.B

This can occur if you are using a Windows Scheme (under the Appearance tab of the Display Properties) that causes toolbars within Windows & Windows applications to display as black or another dark color.

To correct this problem, change your Windows Scheme to Windows Standard.

To change your scheme, click Start | Settings | Control Panel. Next, open the Display Properties. Click the Appearance tab. Change the Scheme and apply the changes.

Rulers should now display Ticks/Divisions.\

Ticks/Divisions do not display when using certain Windows Schemes because the ticks/divisions are black. When using a dark scheme, they do not change to a lighter color, but blend in with the dark color being used by the ruler. In actual fact they are present, but not visible.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Error Saving CDR to CD Burner

Article ID: 207443
Revision Date: August 15, 2002

The information in this document applies to:
CorelDRAW (TM) 10

When saving a file directly to a CD Writer from CorelDRAWr, an error occurs stating that "You do not have permission to open this file".

CorelDRAW does not support writing directly to a CD-Writer. This requires third party software and may conflict with CorelDRAW. Save the file to the local hard drive and use your CD-Writer software to burn onto a CD.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

unable to export as animated gif or avi

Article ID: 206538
Revision Date: July 30, 2001

The information in this document applies to:
Corel R.A.V.E (TM) 1.0

After creating a movie in Rave, the export command only offers .swf..

Restart the program by holding down the F8 key and resetting the program to the factory defaultsc

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Configuring the BDE (version 4.0 and higher) to allow multi-user table access.

Article ID: 18732
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

Only one user at a time can access the Paradox data on the network

Configure the BDE to allow multiple users to access tables on a network:a

A) Open the Database Engine:

For Paradox 8 -

Click on Start, Corel WordPerfect Suite 8, or Corel Paradox 8, Tools, Database Engine

For Paradox 9 -

Click on Start, Programs, WordPerfect Office 2000, Utilities, Borland Database Engine 5.xx

For Paradox 10 and 11 -

Click on Start, Settings, Control Panel and then (double) click on BDE Administrator

B) After the BDE Administrator has opened:

- Select the Configuration Tab.

- Click on the + sign beside Configuration

- Click on the + sign beside Drivers

- Click on the + sign beside Native

- Select Paradox

On the right side of this window under Definition, you will see NET DIR. The NET DIR should be set to a folder on the network that all the workstations have FULL rights to (read, write, modify) Note: It is preferred that the Drive letter that is used for the mapped drive be the same on each workstation)

C) Now you should set LOCAL SHARE to True

- Click on the + sign beside System in the left side of the BDE Administrator window

- Select INIT

On the right side, under Definition you will see LOCAL SHARE. This option may be set to FALSE (by default) and will need to be changed to TRUE

D) After the changes have been made, click on OBJECT (in the menu), click on APPLY, click on OK, click on OK, and then close the BDE Administrator

D) After configuring the BDE it is good practice to search the local hard drives of all workstations and the Server for *.lck and *.net files and delete the files pertaining to Paradox. The 2 file names that may be found are PDOXUSRS.xxx and PARADOX.xxx

NOTE: when performing this search make sure that no one is using Paradox until you have had a chance to complete the search and have deleted the proper files from ALL the STATIONS and Servero

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter

Copyright © 2003 Corel Corporation. All Rights Reserved.

Message: ''The ObjectPAL version used in this form is incompatible with this version of Paradox''

Article ID: 19779
Revision Date: September 24, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

Receiving message "The ObjectPAL version used in this form is incompatible with this version of Paradox. You must recompile from source." OR "This delivered form was compiled with an earlier version of Paradox. You must recompile the source form with the current version"

This error occurs either when the form, or script was delivered with a different version of Paradox, or the tables used in the data model of a delivered report have been restructured.n

1) Paradox for Windows enables developers to deliver a form, report, or script so that it cannot be modified. The version of Paradox for Windows becomes important only if that form or script contains any ObjectPAL code which needs to be compiled. A delivered form will have the file extension .FDL, rather than the usual extension .FSL and a delivered script will have the file extension .SDL, rather than the usual extension .SSL. EXAMPLE: If the original form was delivered in Paradox for Windows version 9 and the delivered form is to be opened in Paradox 10, the following message may appear: "The ObjectPAL version used in this form is incompatible with this version of Paradox. You must recompile from source." OR "This delivered form was compiled with an earlier version of Paradox. You must recompile the source form with the current version"

2) This error message presents itself also when you try to open a delivered report which has a table in its Data Model that has had its structure changed. EXAMPLE: You create a report, save and deliver it. Then you restructure the table that is in the reports Data Model. When you attempt to open the delivered report, Paradox will give you the error message: "The ObjectPAL version used in this form is incompatible with this version of Paradox. You must recompile from source."

The solution to this message is to open the undelivered file in Paradox and re-deliver the form, script, or report. Delivering the form, script, or report using a new filename is recommended.

Note:

1. The version in which the form is delivered will be the only version in which the delivered file may be run. This means that the newly-delivered .FDL file delivered in Paradox 8 will cause the same error message if it is opened in Paradox for Windows version 5, 7, 9, 10. Therefore, if two or more versions of Paradox for Windows will be used concurrently, then multiple versions of the delivered form should be created.

2. The form may be delivered and used in either version of Paradox if it does not contain any ObjectPAL code which needs to be compiled. This includes calculated fields and IIF() fields.

3. This error message will also present itself using Paradox for Windows if the forms were converted from DOS forms using the Object Converter and recompiled

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Limits On Paradox Tables

Article ID: 23472
Revision Date: April 10, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

The table size limit in Paradox depends on the Block Size and Level specified in the BDE (for Paradox 7, 8, 9, 10, or 11) or IDAPI Configuration Utility (for Paradox 5). To view these settings, run the BDE/IDAPI Configuration Utility and select the Paradox driver name.

Block Size	Table Size Limit	Table Version
1024	64 Mb	ALL
2048	128 Mb	ALL
4096	256 Mb	ALL
8192	512 MB	ALL
16384	1024 MB	5.0 and later
32768	2048 MB	5.0 and later

The following is a list of different limits of Paradox tables:

1. Up to two billion records per file

2. Up to 10,800 bytes per record for indexed tables, or 32,750 bytes per record for non-indexed tables.

3. The maximum number of fields is 255.

4. The maximum number of secondary indexes per table is 127.

5. The maximum number of fields in an index or key is 16.

6. The maximum number of concurrent users using one table is 255.

7. The maximum number of concurrent users that can share one .NET file is 300.

8. Memo, Formatted memo, binary and graphic fields have a limit of 256MB per field entry.

9. Passwords are limited to 15 characters in length.

10. A table has a limit of 63 passwords.

11. The maximum number of passwords in a session is 100.

12. The maximum size to a picture is 175 characters.

13. The maximum number of fields with validity checks is: 159 for Paradox 7 for Windows 95 & NT, 63 for all other versions.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Error - ''As Must Be Followed By The Name For The Field In The Answer Table''

Article ID: 200589
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

When running a query, the client receives the error "As must be followed by the name for the field in the answer table."e

The field name following the 'AS' operator starts with an operator or reserved word, or is separated into two words by an arithmetic operator. Change the field name to something else and remove any arithmetic operators from the field name, or enclose it in quotations.t

This error signifies that the word used for the field name following the 'AS' operator is not recognized as a valid field name by Paradox.

An example of this is the use of the word CALC-TOTAL after the AS operator in a query. Even though calc and total are joined, Paradox reads the word as the CALC operator followed by the minus (-) operator and generates an error message.o

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Importing Access 97 database with OLE objects into Paradox

Article ID: 201178
Revision Date: April 10, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

When importing an Access 97 table with OLE objects, Paradox sees them as Binary type fields rather than OLE Fields. The items contained in the OLE fields are Word97 Files.

Export the tables from Access into a Paradox 5 table. This will ensure that the OLE fields are kept intact.L

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Moving an icon from one toolbar to another

Article ID: 201191
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

If you do not like having an icon on a certain toolbar, you can move it to a different one.

1. Hold down the ALT key.

2. Click on the icon with the left mouse button, and hold the mouse

button down.

3. While holding down the mouse button, drag the icon to the other

toolbar and release the mouse button when the icon is where you want

it to be.

4. Release the ALT key

This feature is only available in Paradox versions 9, 10, and 11.s

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Sending mail in Paradox 9,10,11

Article ID: 201250
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

When trying to send mail in Paradox 9,10,11 the code appears to be executing but the mail is not sent and there are no syntax errors. This happens even when using a fully MAPI compliant mail program.e

Make sure that the mail program is the default mail program. To do this, double click on the My Computer icon, click on View, click on Options (may be Folder Options, depending on version of Windows), click on File Types, and finally, click on URL:MailTo Protocol. Make sure that this is set to the MAPI compliant mail program.n

If you're using Netscape, you would do the above by starting Netscape and clicking on Edit, Preferences, and then clicking on Mail & Newsgroups. Click in the "Use Netscape Messenger from MAPI-based applications" check box.n

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Publishing reports to text through code

Article ID: 201253
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

Paradox 9. 10, and 11 allow you to publish reports to text format (open a report, click File, Publish As... and select text). In order to accomplish the same thing through ObjectPal code, you would use this code:

```
var

r Report

endVar

IF not r.open("ReportName.rsl") THEN

   errorShow()

   Return

ENDIF

r.MenuAction(MenuWriteAsText)

r.writeText("")

r.close()m
```

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Error - blob file not found or corrupt

Article ID: 201284
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

When opening a table, 'blob file not found or corrupt' appears. This indicates that there is a memo or graphic field in the table, and the mb file (where this information is stored) is either not in the same directory as the table or is corrupt. The table is now read only and can not be restructured. If the mb file can't be found, follow the directions below to regain access to the table.e

There is a way of removing this problem and gaining full access to your table (ie: the table will be restructurable again). The information which was stored in the mb file will be lost, but the rest of the table can be salvaged. Run a query based on this table and check all fields. The 'blob file not found or corrupt' error message will appear a couple of times - simply click on 'open read only'. Once the query has finished, the Answer.db table will be created in the private directory. Simply rename, move, or delete the original table and rename the Answer table to the original table name.e

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

TableFrame grid does not print in Report

Article ID: 201553
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

When trying to print a tableframe in a report, the gridlines do not appear on the paper. This can also happen when trying to print a table.,

If the grid is missing on the printed output of a report, but the grid appears in preview, try changing the color of the grid from Black to some other dark color -- Dark Red or Blue. It seems that with some printer drivers and output devices, the grid will vanish if it is set to black.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Too Many Records on one Page of a Report

Article ID: 201554
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

When running a report the first record and elements of the second record are seen on the first page of the report. Then elements of the second and third records are on the second page.

To solve this problem place a page break at the bottom (end) of the page band. This is done in the design mode of the report.n

The report by default places as many records per page as possible thus each record may not be unique to each page.t

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Error launching Paradox: Could not initialize BDE

Article ID: 201566
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

When Launching Paradox, you receive the error "could not initialize BDE". This error can occur after uninstalling older version of Paradox from the system. The uninstall routine may have removed the Borland files from the system or Borland keys from the registry. It can also happen if there are Paradox lock or net files remaining on the system. There is a third possibility: the registry entry that provides the location of the BDE files has incorrect paths or is not there at all.o

To fix the first possibility, reinstall the Database Engine by running a Custom install and select only the Borland Database Engine. This will restore the missing BDE. For the second possibility, do a search for P*.lck and P*.net files and delete any that are found with the name Paradox or pdoxusrs. For the third possibility, refer to the Corel knowledge base Article ID: 206974

and follow the steps provided. Paradox should now launchs

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Search

MY ACCOUNT VIEW CART

Knowledge Base

Search Form

Answer table displays expression itself and not the result of the expression

Article ID: 201568
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

When using the CALC operator in a field of a QBE query, the answer table does not display the result of the expression, but the expression itself (Ex. Price*Qty).

Enter example elements by pressing F5 to define the field values.

Choose any field and type CALC, followed by the example element, arithmetic operator and the other example element. You need to press F5 before typing the example element in the expression so they appear in red in both fields with values and the field with the CALC operator.o

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Changing the Order of Fields when printing a table

Article ID: 205108
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

How can I change the Order of Fields when printing a table.p

Print the table through a quick report after modifying the report in design modeD

1) While viewing the table, press <>. This will automatically create a Quick Report.

2) Change into design mode and from the menu select Format/Layout.

3) Select the Fields Tab and change the order of the fields

4) Change from Design to Run mode and print your table with the changed field orderC

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Search

MY ACCOUNT VIEW CART

Knowledge Base

Search Form

OverView of running a query method using ObjectPal - executeQBE( )

Article ID: 205446
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

OverView of running a query method using ObjectPal - executeQBE( )g

ExecuteQBE() method

Description

executeQBE executes the query assigned to a Query variable and writes the results to :PRIV:ANSWER.DB or to the table specified in ansTbl. You can assign a query to a Query variable using a query statement. Create a query statement by calling readfromFile or readfromString or by building it with appendTable, appendRow, or setCriteria.

Syntax 1 calls executeQBE as a method. You can write the query result to ansTbl where ansTbl is a table name, a Table variable, or a TCursor. If ansTbl is not specified, executeQBE writes the results to ANSWER.DB in the private directory.

Syntax 2 calls executeQBE as a procedure. Specify a Database variable in db and a Query variable in qVar. You can write the query result to ansTbl where ansTbl is a table name, a Table variable, or a TCursor. If ansTbl is not specified, executeQBE writes the results to ANSWER.DB in the private directory.

The following notes apply to both syntaxes:

- If you specify the table name as a string and don't include a file extension, ansTbl defaults to specify a Paradox table.
- If you specify ansTbl as a Table variable, ansTbl must be assigned and valid.
- If you specify ansTbl as a TCursor, the results are stored in memory only.
- If executeQBE is successful (ansTbl or ANSWER.DB is created) this method returns True; otherwise it returns False. executeQBE returns True even if the resulting table is empty.

Executing a query by example (QBE).

Syntax

1. (Method)

executeQBE ([{ const ansTbl String |

var ansTbl Table |

var ansTbl TCursor }]) Logical

2. (Procedure)

executeQBE (var db Database, var qVar Query

```
[ , { const ansTbl String |

var ansTbl Table |

var ansTbl TCursor } ] ) Logical

Example Code

method pushButton(var eventInfo Event)

var

qVar Query

myState String

tv TableView

endVar

; add samp alias for the sample directory

addAlias("samp", "Standard", "C:\Program Files\Corel\shared\samples")

; OR is the abbreviation for Oregon, but because it's

; also an ObjectPAL keyword, it must be enclosed in quotes.

myState = "\"OR\""

; now use myState as a tilde variable in this query statement

qVar = Query

:samp:Customer.db|Customer No|Name |State/Prov|Phone |

|_cust |_name| ~myState|_phone |

:samp:Orders.db |Customer No|Balance Due|

|_cust |0, _balDue |

myCust.db |Customer No|Name |Balance Due|Phone |

insert |_cust |_name|_balDue |_phone|

EndQuery

qVar.executeQBE("myCust.db") ; put results into myCust.db

tv.open("myCust.db") ; view the table

endMethod
```

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Using variables in query statements in ObjectPal

Article ID: 205448
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

How to use variables in query statements in ObjectPal.x

You can use variables in query statements by preceding them with a tilde (~) character. When Paradox finds a tilde variable in a query statement, it replaces the variable with its current value. In the following example, the variable name is myItem. The example assumes that the form contains a field object named Stock_No. It retrieves the names of people who ordered the item specified in myItem and stores the results in ITEMS.DB in the working directory. If the query fails for any reason, the call to the System procedure errorShow displays error information in a modal dialog box.

```
var

   qstmt2 Query

   myItem String

endVar

myItem = userItem.Value    ; get value from userItem field in form

qstmt2 = query

STOCK.DB | Stock No | Model |

| Check | Check ~myItem | ; tilde variable is myItem

endQuery

if not executeQBE(qstmt2, "ITEMS.DB") then ; stores results in :WORK:ITEMS.DB

errorShow()

endIf
```

The last block of code is an if...then block that tests whether the query executes successfully. If there is an error, the call to the System procedure errorShow displays a dialog box showing the error message.

You can also use expressions in queries. Simply precede the expression with a tilde.m

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Passing a variable between forms without using a Library

Article ID: 205451
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

Passing a variable between forms without using a Library.o

A quick and easy way to pass a variable between forms is by using the

readEnvironmentString() and writeEnvironmentString() methodsr

WriteEnvironmentString() Syntax:

writeEnvironmentString (const key String, const value String) Logical

Description:

writeEnvironmentString sets a variable in the Paradox copy of the DOS environment. When Paradox launches, a copy of the DOS environment is made. writeEnvironmentString writes to that copy but changes are not written to the DOS environment.

You can use the SET command to assign environment variables. These assigned values control the appearance and function of DOS and some batch files. Some common environment variables include PATH, PROMPT, and COMSPEC. For more information, see the SET command in your DOS manuals.

ReadEnvironmentString() Syntax

readEnvironmentString (const key String) String

Description:

readEnvironmentString returns a string containing information about the DOS environment variable specified by key. When you launch Paradox it makes a copy of the DOS environment. readEnvironmentString reads that copy and compiles information in a string. Changes made to DOS environment variables after Paradox is launched are not read by this procedure.

The preceeding methods can be used by placing the WriteEnviornmentString() in the first form which will place the value to be passed into the Dos Environment and then place the ReadEnvironmentSting() in the second form. This will capture the desired value from the Dos Environment into a variable within the second form to be used as desired.

Example:

Form 1

method pushButton(var eventInfo Event)

var

val2 string

```
endvar

val2 = "Passing Value"

writeEnvironmentString("Val", val2)

endmethod

Form 2

method open(var eventInfo Event)

var

val2 string

endvar

val2 = ReadEnvironmentString("Val") ; Val being the variable ;storing the desired value

val2.view( ) ; will display the value from the first form.

endmethodi
```

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter

Copyright © 2003 Corel Corporation. All Rights Reserved.

Paradox Reports print extra blank pages

Article ID: 206598
Revision Date: November 23, 2001

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

Reports print extra blank page in between each normaly printed page of the reporto

1. If printing from Menu: File | Print change "Overflow handling" to "Clip to Page Width" in the printer dialogue box

1. If printing using OPal add the folowing code:

```
var

r Report

repInfo ReportPrintInfo

endvar

repInfo.panelOptions = PrintClipToWidth

r.open()

r.print(repInfo)y
```

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Unable to start Experts: Error: Invalid Alias

Article ID: 206702
Revision Date: November 23, 2001

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

When attempting to launch any of the Paradox 10 experts, they either just flash or the error pops up: Invalid alias.

In the Alias Manager check whether the `pdxExpert' alias exists. If it does, then check to see if the path for the alias points to:

C:\Program Files\Corel\WordPerfect Office 2002\Paradox\Experts

Add the alias if it doesn't exist and/or modify the path to the above ot to the folder that holds the `Expert' filesq

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

ODBC Connectivity: Converting MS Access Tables to Paradox Tables

Article ID: 206735
Revision Date: November 23, 2001

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

When the contents of an Access table are needed in a Paradox format, follow the steps below

Step 1

Open the Microsoft 32bit ODBC from the CONTROL PANEL (Select: Start | Settings | Control Panel | Microsoft ODBC)

Step 2

-Select the USER DSN TAB and SELECT ADD, choosing the Microsoft Access Driver (*.mdb). -Click on the Finish button.

-At this point leave Data Source Name and Description blank.

-Under Database: click on the Select button.

-In the "Select Database" dialog box, double click the folder where the *.mdb file is and single click on the *.mdb file.

-Click OK.

-Type the "Data Source Name": ex. Name of your mdb file without mdb extension.

-Click OK button

-Click OK button again to close MS ODBC dialog box.

Step 3

-Open the Database Engine (BDE).

-Select Start | Settings | Control Panel | BDE Administrator

Step 4

-Select Database Tab.

Step 5

-Under the DATABASE TAB, select the DSN (Data Source Name) you created in Step 2.

-On the right, click at the end of the Database Name column to get the button with the 3 dots...

-Select the your mdb file.

Step 6

-Click on the OK button.

-Click on the blue arrow on the toolbar to apply the changes.

-If asked to save all edits to ... click on OK.

Step 7

-Close the BDE Administrator. Open Paradox.

Step 8

-Once Paradox is open, set the Working Directory to where the mdb file is located. Select File | Working Directory - select the directory and click OK.

-Select FILE, NEW, QUERY and switch the alias to the newly created ALIAS ("Data Source Name " from step 2 or 5 .

-When asked to enter user name and password just click on OK.

-SELECT the USER TABLE and click on OPEN. Check all fields by clicking on the square under the file name.

-With the query still in design, (from the main menu) click on the Query | Properties.

-On the Answer tab, change : priv:Answer.db to ":work:UserTableName.db "

-Click OK. Press F8 to run the query and create the Paradox table.

-Close the query without saving.

Step 9

-Repeat the step 8 for every User Table.

-Repeat steps 1 to 9 for every mdb file.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter

Copyright © 2003 Corel Corporation. All Rights Reserved.

vBox trial screen still present after installing the retail version of WordPerfectr Office 2002

Article ID: 206767
Revision Date: January 08, 2002

The information in this document applies to:
Presentations(TM) 10 for Windows(R)

Users report that after unistalling the Trial version and installing the retail version, they receive a vBox splash screen indicating they have so many days left in the trial.

Resolution 1:

1. Click Start, Find (or search), Files or Folders.

2. Search for the WordPerfect executable wpwin10.exe

3. When found, right click and rename the extension to .old. Click OK

4. Click Start, Programs, WordPerfect Office 2002 and click the WordPerfect 10 shortcut. The MSI installer should repair the nstallation.

5. When prompted insert the WordPerfect Office 2002 CD.

This will repair the installaiton and remove the references to the trial version. Repeat the above procedure for the other application executables, qpw.exe(Quattro Pro), prwin10.exe (Presentations), ccwin10.exe(CorelCENTRAL), and pdxwin32.exe

(Paradox).

Resolution 2:

1. Launch Windows Explorer, and browse to the CD#1 for WordPerfect Office 2002.

2. Browse to the \Corel\WordPerfect Office 2002\Programs folder.

3. Copy the WordPerfect executable wpwin10.exe to the :\Program Files\Corel\WordPerfect Office 2002\Programs folder.

4. When prompted, say YES to replace the existing file.

This will repair the installaiton and remove the references to the trial version. Repeat the above procedure for the other application executables, qpw.exe(Quattro Pro), prwin10.exe (Presentations), ccwin10.exe(CorelCENTRAL), and pdxwin32.exe

(Paradox).

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Disk error occurred while reading file

Article ID: 206776
Revision Date: November 23, 2001

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

Unable to open form created with Paradox 10 in Paradox 8. Error: Disk error occurred while reading filea

Workaround:

In Paradox 10, in table frame properties uncheck Attach Header. Delete the header. Save the form. Go to table frame properties, check the Attach Header and save the form again.

Now both version will open the same form with no problem.a

Issue reported to QA.o

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Error - An attempt was made to access an unnamed file past its end

Article ID: 206815
Revision Date: January 14, 2002

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

Error starting Paradox 10:

"An attempt was made to access an unnamed file past its end"

Close Paradox

Search for pdx_en*.cfg files. Rename or delete all files found.

Re-start Paradox.

This error was triggered due to corruption of Paradox status and toolbar configuration files. Re-starting Paradox will recreate these files.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Help File: ObjectPal Reference error in the Create topic under Table Type.

Article ID: 207284
Revision Date: June 10, 2002

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

Help reference:

Notes: "If the VersionLevel parameter is not set the created table will default to version 4"

Help reference:

If the VersionLevel parameter is not set, the VersionLevel will be taken from the settings in BDE Administrator.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Unexpected. General Protection Violation in Paradox 10

Article ID: 207295
Revision Date: June 18, 2002

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

If Paradox is launched with a ONE line statusbar, moving the mouse over the Statusbar where the Start button on Taskbar is, causes a GPV. This also happens in Runtime 10.0.0.658m

Right click on the Status Bar and select SIZE - TWO LINESt

Changing the Statusbar to a two line statusbar, makes the problem disappear.S

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Importing Microsoft Excel 95/97

Article ID: 207337
Revision Date: July 09, 2002

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

Importing Microsoft Excel 95/97 specified range spread sheet.

The import paradox table is off set by 1 column.c

This issue has been fixed in Service Pack 2.n

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Incorrect Count in a calculated field

Article ID: 207504
Revision Date: March 11, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

Count function in a calculated field (form or report) is reporting the number of records in a table instead of the number of non-blank record entries in the specified field. Paradox is counting the number of records regardless of whether the field has a value or not, because Paradox is seeing blank fields as containing a '0' (zero). The COUNT function should report the number of records in a specified field that are not blank.

Under Preferences, uncheck the option "Treat blank fields as zeros".

In Paradox 9 or 10:

1. Click Tools,Settings,Preferences.

2. Select the DATABASE tab.

3. Uncheck "Treat blank fields as zeros".

4. Click OK.

Forms and reports will now run correctly.

NOTE: The default for all versions before Pdox 9 SP4 was NOT to treat blanks as zeros. The default changed with Paradox 9 SP4 and later versions.D

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.

Upgrading Previous Versions of Paradox for Windows to Paradox 10

Article ID: 207576
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

The purpose of this document is to assist a Paradox for Windows user with the upgrade of all their files into Paradox 10. .

The main restriction is that the forms, reports, scripts and libraries which have been delivered will not migrate to Paradox 10. Those files would end with the following extensions:

forms-fdl

reports-rdl

scripts-sdl

libraries-ldl

Caution: Prior to upgrading your files to Paradox 10 it is highly recommended to make a complete backup of ALL of your application files.

After installing and opening Paradox 10, set your working directory to the location of your application files. To do this, select File/Working Directory from the main Paradox menu. A directory browser will open. Search through until you locate the directory which contains your data files. Once you have selected the correct directory in the directory browser select the OK button. Your working directory is now set.

The next step required is to locate a file called Update.ssl. This file is located in the Paradox Samples Directory. Click on your Start Button and select Search or Find/Files or Folders. There will be a dialog box which opens asking your for the name you want to search for and where you want to search. In the name box input Update.ssl. In the Location box, select your local C drive. If this search fails to produce results then search other drives which are connected to your system.

Once you have located the Update.ssl file, copy it to your Working Directory. Run the Update.ssl script. This script will take all the files in your Working Directory and recompile them for use in Paradox 10. If there are problems at this point you will get an error message. Correct errors as necessary. If the script does not produce any errors then a message will come up informing you that the upgrade is completeb

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Setting Paradox 10 and 11 on peer-to-peer network.

Article ID: 207583
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

How to setup Paradox 10 and 11 in a Windows peer-to-peer network.;

This document provides step-by-step instructions for setting up Corel Paradox 10 and 11 in a Windows peer-to-peer network. It is assumed that the network is already up and running, the user has an understanding of Windows networking concepts, and an understanding of Corel Paradox.

Note, the methods described here will work only if all of the computers are using the same version of Corel Paradox.

Setting the Configuration:

1. You must know the names of all computers involved. To locate this information right click My Computer or Network Neighbourhood icon (depending on the operating system), and click the Identification tab. For this example, we will use the computer names Machine1 and Machine2.

2. Determine which machine you want the network file copied on. In this example, we will use Machine1.

3. On Machine1, create a new folder on the root drive, called LOCK (IE C:\LOCK).

4. Right-click the LOCK folder, and click Sharing. Click Share As. The share name should be LOCK. Enable Full as the Access Type, and click OK. A hand should appear under the LOCK folder.

5. Click Start, Settings, Control Panel, double click on BDE Administrator, and click the Configuration tab. Double-click Configuration, Drivers, Native, Paradox from the tree structure. Click NET DIR, and type the UNC path name, \COMPUTERNAME\PATH to the LOCK folder. In our example, this would be \MACHINE1\LOCK.

Click Paradox again, and a series of green triangles will appear next to Configuration, Drivers, Native, and Paradox. As well the two arrow buttons on the tool bar will turn blue and red. Click the blue Apply button, and click Yes when prompted to save changes to PARADOX. The triangles will disappear, and the arrows will become grayed out.

6. In the left hand pane, click System, INIT, and search for Local Share. Change it to True. Green triangles will appear next to Configuration, System, and INIT. Click the blue Apply button again to save the changes to INIT, and close the BDE Administrator.

7. Repeat the BDE changes (steps 7 and 8) for each computer in the network. Note that the NET DIR setting should be the same on all computers; in this example, \MACHINE1\LOCK.

IMPORTANT: search for and delete p*.lck and p*.net files on all computers involved before starting Paradox

Testing the Settup.

8. Open Corel Paradox on the first computer. Make the LOCK folder the working directory by clicking File, Working Directory, and typing C:\LOCK in the working directory field. Click OK.

9. Create a new table by right-clicking Tables , then clicking on New, Blank, Paradox 7-10 (or 7-11 for Paradox 11) in left pane of the Project Viewer. Click OK. Add a single field in the Create Paradox 7-10 Table (or 7-11 for Paradox 11) dialog box, called Test. Make it Alpha type, size 10. Make it a key field by double-clicking the Key column. Click Save As. Type LOCKTEST.DB as the filename, and click Save.

10. Open the table by clicking Tables in the left pane of the Project Viewer, and double-clicking LOCKTEST.DB. Press F9 to edit the table. Type Test 1 in the field, and press F9 to post the change.

11. On another computer, open Corel Paradox. Set the working directory to the LOCK folder on the first computer by clicking File, Working Directory, and typing the UNC path name of the LOCK folder on the first computer, and click OK. This is the same as the UNC path that you used in NET DIR setting earlier in this document. In this example, you would type \MACHINE1\LOCK. Click Tables in the left pane of the Project Viewer. Double-click the LOCKTEST.DB file, and press F9 to enter Edit mode. Press insert, and type Test2. Press F9.

12. On Machine1, if you do not see the Test 2 record, close the table and reopen it. If you can now see Test 2 in the table, the computers are set up correctly.

13. Repeat this test for each computer in the network. If the new records you add are visible on all machines, everything is set up correctly.d

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter

Copyright © 2003 Corel Corporation. All Rights Reserved.

Index is out of date

Article ID: 207589
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

Unable to open table, getting error message: Index out of date

Index out Date is an error that occurs while using Paradox tables when the data in a table and a corresponding index is not consistent. Short of malicious behavior such as renaming an index, adding some data to the table, then renaming the index back, there is no programmatic way to cause this error to occur.

There is no way to determine which index is out of date. All indexes must be recreated.

There are several known situations that can cause this to happen. Listed are most common:

1. Incorrectly setting the LOCAL SHARE property.

Set LOCAL SHARE to TRUE on all workstations

2. Error transmitting data from the workstation to the server (bad network hardware: cable, card, hub, etc)

3. Private directory set to local or remote (not shared) directory

4. All workstations point to the same shared directory for the NET DIR settings

5. Problem with opportunistic locking Windows NT/2000 ONLY: Try turning off opportunistic locking in the Windows NT registry: See Microsoft Articles Q129202 and Q296264

6. Improperly closing files - such as due to loss of power or restarting a workstation or the server without closing files first may cause this problem. Paradox tables are not designed to withstand such behavior. If this is a possibility in your environment, we recommend you use a Client Server database that can recover from such conditions

7. Extremely large numbers of indexes, especially involving Referential Integrity can cause this problem We recommends using a Client Server

database under this condition.e

1. Run table Repair Utility and rebuilt your table

and/or

2. Delete all indexes and recreate them. To do this you'll need to know the structure of all your indexes (including primary) before recreating them, which means you need to know the structure of all indexes before the error occurs. Make sure that you have backed up your table first.

Delete any files that have the same name as the table in question, and have any of the following extensions:

.px, .x??, .y??

Do not ever delete the .db or .mb files; these contain your data and BLOb (memo) fields.

Recreate the primary key and secondary indexes using Tools, Utilities, Restructure.o

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter

Copyright © 2003 Corel Corporation. All Rights Reserved.

Search

MY ACCOUNT VIEW CART

Knowledge Base

Search Form

Creating Autoincrement Routines Using ObjectPal

Article ID: 207596
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

This document demonstrates three approaches using ObjectPAL to create autoincrement fields.

Database users frequently need tables that have unique values for each record. Paradox for Windows helps to enforce this database requirement by providing key fields.

Unless they are autoincrement fields, key fields do not automatically create unique values; that is still up to the end user or developer. There are several techniques available to automate this type of requirement using ObjectPAL. This document covers three main approaches: a single-user technique, a multiuser (network) technique, and a multiuser technique that can also "recycle" deleted key field values. There are certainly other approaches that can be considered by the experienced developer.

Note: You can use the Autoincrement field type instead using the ObjectPAL code described in this document.

You may still want to use the ObjectPAL code if you want to circumvent the Autoincrement field limitations:

- The incremented value is an integer.

- Values are incremented by 1.

- Incremented values cannot be "recycled" after they are deleted from the table.

- Autoincrement fields are read-only.

To follow along with the following examples:

1. You must use the Paradox sample table Customer.

(C:\Program Files\WordPerfect Office 11\Template\Classic)

2. Your ObjectPAL level must be set to Advanced.

(Choose Edit | Developer Preferences, choose Advanced, and choose OK.)

3. You must create a table named AUTONUM with the following structure:

AUTONUM.DB

Field Name Sequence No

Type N

Size

Key Yes

4. You must create a table named AUTONUM2 with the following structure:

AUTONUM2.DB

Field Name Sequence No, Reused

Type N A

Size 5

Key Yes

SINGLE USER AUTOINCREMENT ROUTINE

1. From the Paradox Desktop, choose File | New | Form. Add the CUSTOMER

table from the Paradox Sample directory to the data model.

2. Right-click the CUSTOMER table in the data model and remove the

checkmark from the Auto-Append property. This prevents the user from

adding records to the table by moving down from the last record in a table.

3. Choose OK. Choose OK again to accept the default layout.

4. Open the Editor window for the action method of the page.

To do this in Paradox 11, right-click an empty area of the page. Choose Object Explorer, click the Events tab, and double-click action.

5. Edit the code in the Editor window of the action method.

```
method action(var eventInfo ActionEvent)

var

tbl1 Table ; Table variable

nNewNum Number ; Holder for the

; new Customer No

endVar

if eventInfo.id() = DataInsertRecord then

doDefault ; Insert the new record
```

```
if eventInfo.errorCode() = peOK then ; Insert successful

tbl1.attach("CUSTOMER.DB")

nNewNum = tbl1.cMax("Customer No") + 1

Customer_No.value = nNewNum

endIf

endIf

endMethod
```

In the above example, the cMax method calculates the maximum value in the

Customer No field and 1 is added to it before assigning the value to the

newly inserted record.

Note: It is a good idea to turn off the Tab Stop property of the

field that is being incremented (in this case the Customer No field) so

that the user cannot change the sequence number.

To do this in Paradox 11, right-click the Customer No field object, choose

Properties, click the Run Time tab, uncheck Tab Stop, choose Apply and then OK.

The code works correctly whether the Tab Stop property is toggled on or off.

6. Check the syntax by pressing [F9] or check syntax icon of the toolbar and run the form by pressing [F8] or run icon of the toolbar. If there are any syntax errors, compare your code with the example closely.

With the form in run mode, the user can only insert records in edit mode by pressing [Insert], choosing Record | Insert, or by ObjectPAL control.

In any of these cases, a new sequence number is generated and placed in the Customer No field.

MULTIUSER AUTOINCREMENT ROUTINE

The preceding routine cannot be used in a multiuser environment. In order to get the maximum value from a field, the cMax method must place a Write Lock on the table. A Write Lock cannot be placed if other people are editing the table. The following example demonstrates an autoincrement routine that works in a multiuser environment. The AUTONUM table is used

to store the next number to be used when a new record is inserted.

1. Open the CUSTOMER and AUTONUM tables. Look at the last record in the

CUSTOMER table, add one to its Customer No and add that number to the AUTONUM table. There should only be one record in the AUTONUM table. Close both tables.

2. From the Paradox Desktop, choose File | New | Form. Add the CUSTOMER

table from the Paradox samples directory to the data model.

3. Right-click the CUSTOMER table in the data model and remove the checkmark from the Auto-Append property. This prevents the user from

adding records to the table by moving down from the last record in a table.

4. Choose OK to arrive on the Design Layout dialog box and accept the

default layout by choosing OK again.

5. Open the Editor window for the method event of the page.

To do this in Paradox 11, right-click an empty area of the page. Choose Object Explorer, click the Events tab, and double-click action.

6. Edit the code in the Editor window for the action method to look like

this:

```
method action(var eventInfo ActionEvent)

var

nNewNum Number ; Holder for sequence

; number

tcNewNum TCursor

endVar

if eventInfo.id() = DataInsertRecord then

doDefault ; Insert the new record NOW

if eventInfo.errorCode() = peOK then ; Insert successful

tcNewNum.open("Autonum")

tcNewNum.edit()

if not tcNewNum.lockRecord() then

customer_no.postAction(DataCancelRecord)

else

nNewNum = tcNewNum."Sequence No"

Customer_No.value = nNewNum

tcNewNum."Sequence No" = nNewNum + 1

tcNewNum.unlockRecord()

endIf

endIf

endIf

endMethod
```

7. Check the syntax by pressing [F9] or check syntax icon of the toolbar. Run the form by pressing [F8] or selecting run icon of the toolbar. If there are any syntax errors, compare your code with the example closely.

8. Uncheck tab stop property (Customer_No field property, run time tab)

When a user inserts a record, either by pressing [Insert], choosing Record | Insert, or by ObjectPAL control, a new sequence number is generated and

placed in the Customer No field.

MULTIUSER AUTOINCREMENT ROUTINE THAT RECYCLES SPENT NUMBERS

Sometimes an application needs to reuse a sequence number whose record has

been deleted from a table. In the previous examples, if a sequence number

has been used and its record has been deleted from the table, that sequence number is no longer available. You will have a "hole" in your sequence. For example, suppose you have 3 records in a table with the first record numbered 1, the second record numbered 2, and the third record numbered 3. If you decide to delete the second record,

the sequence will have a "hole" between the first and third records. If

you would like to have the ability to recycle the number 2, implement the

following technique:

1. Open the CUSTOMER and AUTONUM2 tables. Look at the last record in the

CUSTOMER table, add one to its Customer No and add that number to the

Sequence No field in the AUTONUM2 table. In the Reused field, type False.

There should only be one record in the AUTONUM2 table. Close both tables.

2. From the Paradox Desktop, choose File | New | Form. Add the CUSTOMER

table from the Paradox samples directory to the data model.

3. Right-click the CUSTOMER table in the data model and remove the

checkmark from the Auto-Append property. This prevents the user from

adding records to the table by moving down from the last record in a table.

4. Choose OK to arrive on the Design Layout dialog box and accept the

default layout by choosing OK again.

5. Open the Editor window for the action method of the page.

To do this in Paradox 11, right-click an empty area of the page. The status

bar should read #Page2 (without the quotes). Choose Object Explorer, click

the Events tab, and double-click action.

6. Edit the code in the Editor window of the action method to look like

this:

```
method action(var eventInfo ActionEvent)

var
```

```
nNewNum Number ; Holder for sequence number
tcNewNum TCursor
endVar
switch
case eventInfo.id() = DataInsertRecord :
doDefault ; Insert the new record NOW
if eventInfo.errorCode() = peOK then
tcNewNum.open("Autonum2")
tcNewNum.edit()
if not tcNewNum.lockRecord() then
customer_no.postAction(DataCancelRecord)
else
if tcNewNum."Reused" then
nNewNum = tcNewNum."Sequence No"
tcNewNum.deleteRecord()
else
nNewNum = tcNewNum."Sequence No"
tcNewNum."Sequence No" = nNewNum + 1
tcNewNum.unlockRecord()
endIf
endIf
Customer_No.value = nNewNum
endIf
case (eventInfo.id() = DataCancelRecord and
active.recordStatus("New"))
or eventInfo.id() = DataDeleteRecord :
nNewNum = Customer_no.value
doDefault
if eventInfo.errorCode() = peOK then ; Record removed
tcNewNum.open("Autonum2")
tcNewNum.edit()
```

```
tcNewNum.insertRecord()
tcNewNum."Reused" = True
tcNewNum."Sequence No" = nNewNum
tcNewNum.unlockRecord()
endIf
endSwitch
endMethod
```

7. Check the syntax by pressing [F9]. Run the form by pressing [F8]. If there are any syntax errors, compare your code with the example closely. When a user inserts a record, either by pressing [Insert], choosing Record | Insert, or by ObjectPAL control, a new sequence number is generated and placed in the Customer No field. If a user deletes a record from this table, the sequence number would be inserted into the Autonum table.

INCREMENTING MULTIPLE TABLES BOUND TO THE SAME FORM

The above multiuser code examples are only applicable to single-table forms. What would happen if there were two tables represented on the same page of a form and the above code were used? The code would use the same table as a basis for the next incremented value. In these types of environments, several new issues must be addressed:

1. When to trap DataInsertRecord.

Because of the nature of the event model, code placed on the page of a form executes every time a DataAction (DataInsertRecord, for example) occurs, even if it occurs on different tables of the form.

In order to make sure that incrementing code is only executed for the correct table, the following test must be applied in the action method at the page level:

```
method action(var eventInfo ActionEvent)
; Normal trapping for generating an auto sequencing number
if eventInfo.id() = DataInsertRecord then
doDefault
if eventInfo.errorCode() = peOK then
```

```
if Active.TableName = "CUSTOMER.DB" then
; Perform CUSTOMER table's routine here.
else
; Perform ORDERS table's routine here.
endIf
endIf
endMethod
```

Active.TableName indicates which table was active when the user generated a request to insert a new record. This is very important since sequencing is usually handled differently for each table.

The normal sequencing code could then be added to the appropriate section of the above code segment in the action method of the page.

2. Where to trap for DataInsertRecord.

This can be done on either the page level or the object level. The above example is placed on the page level and handles all record insertion for that page in one place. This is very convenient when maintaining the code.

If the code is placed at the object level (Table Frame, Record, or Multi-Record Object), then it does not need to trap for which table generated the insert. It even works if the object is cut and pasted to a new form.

However, any page level insert actions still need to trap for which table generated the action, since the action still bubbles up to the form even with the custom code added to it.m

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter

Copyright © 2003 Corel Corporation. All Rights Reserved.

Paradox field naming conventions

Article ID: 207601
Revision Date: April 09, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

Choosing a field name is a very important factor in table design. You should conform to the following rules when specifying field names for Paradox tables.s

Paradox field naming rules

-The maximum length of a field name is 25 characters.

-A field name cannot start with a blank space (unless it is enclosed in quotation marks), but it can contain blank spaces.

-Each field name in a table must be unique. (You cannot have two identical field names.) You cannot make a name unique by adding a blank space at the end of the name or changing the capitalization of the name.

-Paradox does not allow you to use extended characters as field names.

If you plan to use the table with ObjectPAL, a field name should not contain the following characters:

Square brackets [ ], curly braces { }, or parentheses ( ), the combination of a dash and a greater-than symbol ->, periods (.), underscores (_), pipes (|) or the # sign.

If you plan to use the table in a query, a field name should not contain commas (,), pipes (|), or exclamation points (!) because these characters have special significance.

Avoid using SQL keywords such as SELECT and COUNT.

SQL

ANSI-standard SQL confines each table or column name to a single word comprised of alphanumeric characters and the underscore symbol (_).

The following characters should also be avoided with regards to different operating systems or possible ways in which tables are manipulated:

tilde (~), at sign (@), dollar sign ($), percentage (, end character (&), asterisk (*) and question mark (?).e

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

ImportSpreadsheet function, importing Excel Spreadsheet returns a message: Unable to get table field descriptions

Article ID: 207644
Revision Date: September 24, 2003

The information in this document applies to:
Paradox(R) 10.0 for Windows(R) 95/NT

Using the following syntax

importSpreadsheet (const fileName String, const tableName String, const fromCell String, const toCell String [, const getFieldNames Logical]) Logical to import Excel spreadsheet will generate error: Unable to get table field descriptions

The full path of the file is required.

Example:

importSpreadsheet ("C:\test\test.xls", "C:\test\test.db","A1", "F6", True)t

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Apply button not functional for all Object transformations

Article ID: 205894
Revision Date: May 07, 2001

The information in this document applies to:
Corel PHOTO-PAINT (TM) 10

After performing a manual transformation to an object, clicking on the apply button on the property bar, does not finalize the tranformation.

After typing in a value for an object transformation and hitting apply on the property bar, some actions are not available, and my cursor indicates the "No Symbol"

After performing the transformation, the following methods will finalize the action.

1. Right click over the object, choose apply.

2. Double clicking on the object.

3. Hitting enter on the keyboard.g

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

The Clone tool in PhotoPaint leaves a trace of the brush

Article ID: 206408
Revision Date: June 20, 2001

The information in this document applies to:
Corel PHOTO-PAINT (TM) 10

With a file opened in PhotoPaint 10 (preferably with dark colors), select the clone tool, right click to reset the origin and drag the mouse, a trace of the brush will be left behind.S

This appears to be a screen refresh problem. It will not affect the file, and a minimize followed by a maximize will remove the artifacts. Or press Ctrl +W on the keyboard.e

This has been logged as a bug

Corrected in service pack 1.

Available for download from http://www.corel.com/support/ftpsite/pub/coreldraw/draw10suite

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

How to get a mask in the exact position

Article ID: 206415
Revision Date: June 11, 2001

The information in this document applies to:
Corel PHOTO-PAINT (TM) 10

Once the mask is created with the Mask Tool, it can't be moved. If it isn't in the exact position, the mask has to be removed and reapplied.

Create the mask on the image. Click the small black triangle in the Object Pick tool to access the flyout. Select the Mask Transform Tool or with the Object Pick tool selected, press M on the keyboard. Click anywhere within the mask and drag to the correct location.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Converting PHOTO-PAINT 9 Scripts for use in PHOTO-PAINT 10

Article ID: 206507
Revision Date: July 03, 2001

The information in this document applies to:
Corel PHOTO-PAINT (TM) 10

1. Locate the Corel Script Converter Utility by either searching for cscconv.exe or by browsing to X:\Program Files\ Corel\Graphics10\ Programs (X: representing the drive where the Corel DRAW 10 Suite was installed)

2. Launch the Corel Script Converter Utility by double clicking on cscconv.exe.

3. Select `Convert Files'

4. Locate the PHOTO-PAINT 9 scripts to be converted

5. Select the desired scripts and click `Open' to convert the scripts.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Error ''Application could not inquire about the palette of the image from the twain driver, Image aquiring is aborted''

Article ID: 206662
Revision Date: September 18, 2001

The information in this document applies to:
Corel PHOTO-PAINT (TM) 10

When trying to aquire an image from a scsi scanner, the following error will occur. "Application could not inquire about the palette of the image from the twain driver, Image aquiring is aborted."e

This error is caused from lack of memory on the hard drive. Free up memory by deleting temp files, run a Defrag, and remove programs that are not being used.a

---

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

Poor Performance of PHOTO-PAINTr 10 When Using a Wacom Tablet

Article ID: 207040
Revision Date: April 26, 2002

The information in this document applies to:
Corel PHOTO-PAINT (TM) 10

PHOTO-PAINT can take a long time to repond to basic commands if a Wacomr Graphire tablet is being used or installed on the computer.

To correct this issue, do the following:

1. Locate the photopnt.ini file for PHOTO-PAINT 10 and open it in Notepad. 2. Scroll down to the [Configuration] section, then change the value of UseMouseHook=1 to UseMouseHook=0.

3. Save changes to the file.

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

Copyright © 2003 Corel Corporation. All Rights Reserved.

''The Application Login Window Could not be Quit'' Error occurs when Installing Corel Graphic Suite 10 on Mac OS 10

Article ID: 207254
Revision Date: July 02, 2002

The information in this document applies to:
Corel Graphics Suite 10 for Macintosh(R)

When installing CorelDRAW 10 for Macintosh on Mac OS 10, the following error is produced:

"The application Login Window could not be quit".c

The application "Timbuktu" must be removed from the Mac OS X startup items folder.

The workaround is to install Corel Graphic Suite 10 in OS 9.x and run program in OS 10.k

Product specifications, packaging, technical support and information (*Specifications*) refer to theUnited States retail English version only. Specifications for other versions may vary. All Specifications, claims, features, representations, and/or comparisons provided are correct to the best of our knowledge of the date of publication, but are subject to change without notice.OUR MAXIMUM AGGREGATE LIABILITY TO YOU AND THAT OF OUR DEALERS AND SUPPLIERS IS LIMITED. IT SHALL NOTEXCEED THE AMOUNT YOU PAID TO ACCESS THE INFORMATION. SEE LEGAL DISCLAIMER.

COREL

Privacy | Legal | International | eNewsletter
Copyright © 2003 Corel Corporation. All Rights Reserved.